

"විශිෂ්ට රාජ්‍ය සේවාවක් සඳහා ජප්ප කපුවෙළු."
ප්‍රධාන ලේකම් කාර්යාලය - බස්නාහිර පළාත
பிரதம செயலாளர் அலுவலகம் - மேல் மாகாணம்
OFFICE OF THE CHIEF SECRETARY - WESTERN PROVINCE



"ශ්‍රාවස්ති මන්දිරය", 32, ශ්‍රීමත් මාකස් ප්‍රනාන්දු මාවත, කොළඹ 07.
 "ஸ்ராவஸ்தி" கட்டிடம், 32, ஸ்ரீமத் மார்க்கஸ் பரணந்தா மாவத்தா, -கொழும்பு 07.
 "Sravasthi Mandiraya", 32, Sir Marcus Fernando Mawatha, Colombo 07.

| | | | | |
|--|---|---|--|-------------------------------|
| ප්‍රධාන ලේකම් பிரதம செயலாளர் Chief Secretary | දුරකථන / தொலைபேசி / Telephone ෆැක්ස් / செய்தி / Fax ඊ-මේල් / மின்மேல் / Email | - 2698409 - 2694667 chiefsecretary@wpc.gov.lk | පොදු දුරකථන தொலைபேசி General Telephone | 2682868 2682869 2682870 |
|--|---|---|--|-------------------------------|

| | | |
|--|-------------------------------------|--|
| මගේ අංකය. எனது இல. My No. } CSWP/ENG-ADM/8-24/FI/1-A | ඔබේ අංකය. உமது இல. Your No. } | දිනය. திகதி. Date. } 2018.10. 25 |
|--|-------------------------------------|--|

පළාත් ගොඩනැගිලි අධ්‍යක්ෂ/ පළාත් වාරිමාර්ග අධ්‍යක්ෂ,
 සභාපති, පළාත්බද මාර්ග සංවර්ධන අධිකාරිය(බ.ප.),
 සමාන්‍යාධිකාරී , පළාත්බද මාර්ග සංවර්ධන අධිකාරිය(බ.ප.),
 පළාත් පාලන කොමසාරිස් සහ සියලුම පළාත් පාලන ආයතන ලේකම්වරුන්,
 බස්නාහිර පළාතේ සියලුම ප්‍රාදේශීය ලේකම්වරුන්,
 සියලුම ප්‍රාදේශීය ඉංජිනේරුවරුන්,

2018/2019 අනුමත මාර්ග ගාස්තු උපලේඛණයේ මිල ගණන් සංශෝධනය කිරීම

2018.10.15 දින සිට නැවත දැනුම් දෙන තුරු ඉදිකිරීම් ඇස්තමේන්තු පිළියෙල කර ගැනීමට දැනට අනුමත මාර්ග ගාස්තු උපලේඛණයේ පහත සඳහන් අයිතම වල මිල ගණන් ඇමුණුම අංක 1 හි සඳහන් පරිදි සංශෝධනය කරනු ලැබේ.


සංශෝධිත HSR අයිතම : -

B0-351, B0-351A, B0-352, B0-353, B0-354, B0-355, B0-355A, B0-355B, B0-355C, B0-356, B0-361A, B0-362A, B0-362B, S1-001, S1-002, S1-007, S1-008, S1-009, S1-010, S1-011, S1-012, S1-013, S1-014, S1-015, S1-015A, S1-016, S1-017, S1-018, S1-019, S1-020, S1-022, S1-022A, S1-023, S1-024, S1-025, S1-027, S1-030A, S1-030B, S1-031, S1-035, S1-035A, S1-036, S1-040, S1-041, MN-001, MN-002, MN-003, MN-004, MN-005, MN-006, MN-007, MN-008, MN-009, MN-010, MN-011, MN-012, MN-013, MN-014, MN-015, MN-016, ST-123, ST-131, MS1-001, MS1-002, MS1-003, MS1-003A, MS1-004, MS1-005, MS1-005B, MS1-005C, MS1-006, MS1-007, MS1-008, MS1-010, MS1-011, MS1-012, MS1-013, MS1-014, MS1-015, MS1-016, MS1-017, MS1-018, MS1-019, MS1-019A, MS1-020, MS1-020A, MS1-057, MS1-058, MS1-060, SSR

02. මෙම රේටි මිල ගණන් පිළියෙල කිරීමේදී එකතු කළ අගය මත බදු (VAT) ,රේටි මිල ගණන් වලට අඩංගු කර නැත. ඇස්තමේන්තු පිළියෙල කිරීමේදී එකතු කළ අගය මත බදු ,ප්‍රමාණ බිල්පතේ මුළු එකතුවට අමතර මුදලක් වශයෙන් එකතු කළ යුතුය.

| විකේත ප්‍රධාන ලේකම් தேதி பிரதம செயலாளர் Deputy Chief Secretary | පළාත திரைபாளம் Administration | පිරිසිදු හා සහතික ஆளவன் மற்றும் பயிற்சி Personnel & Training | සල්ලා தொது Finance | නැලඳුම් திட்டமிடல் Planning | ඉංජිනේරු தொழில்நுட்ப Engineering | අභ්‍යන්තර පරීක්ෂක உள்நோக்க சீர்தயக்க Director Internal Audit |
|--|--|--|--|---|--|--|
| | Tel: 2693964 Fax: 2669479 dcadmin@wpc.gov.lk | Tel: 2690058 Fax: 2693952 dcpa@wpc.gov.lk | Tel: 2693978 Fax: 2679958 dcfinance@wpc.gov.lk | Tel: 2693970 Fax: 2676280 dcplanning@wpc.gov.lk | Tel: 2693968 Fax: 2689900 dceng@wpc.gov.lk | Tel: 2689011 Fax: 2689011 |

03. මෙම රේඛා මිල ගණන් සංශෝධනය කිරීමේදී පළාත් පාලන ආයතන සහ පළාත් මාර්ග සංවර්ධන අධිකාරිය විසින් ඉදිරිපත් කරන ලද කරුණුද සැලකිල්ලට ගැනීමෙන් අනතුරුව සහ නිශ්පාදන ආයතන/ බෙදාහරින්නන්ගේ බිටුමන්, CRS වර්ග යන මූලික ද්‍රව්‍ය වල මිල ගණන් වල විශමතාවය සහ එකම ආයතනයක් වෙතින් එනම් ලංකා බනිජ තෙල් නිධිගත සංස්ථාව (CPC) වෙළඳපොළ අවශ්‍යතාවය සපුරාලිය නොහැකි වීම මත 2018.04 මාසයේ සහ 2018.10.01 දින අතර මිල වැඩි වීම පදනම් කර මෙම රේඛා මිල ගණන් සංශෝධනය කරන ලදී.


ඩබ්.එම්.ඩී.එන්.රණසිංහ,
නියෝජ්‍ය ප්‍රධාන ලේකම් (ඉංජිනේරු),
බස්නාහිර පළාත.

පිටපත්:

- | | |
|--|----------------|
| 1. ප්‍රධාන ලේකම් (බ.ප.) | - කරු.දැ.ගැ.ස. |
| 2. බස්නාහිර පළාතේ සියලුම අමාත්‍යාංශ ලේකම්වරුන් | - කරු.දැ.ගැ.ස. |
| 3. අධ්‍යක්ෂ (අභ්‍යන්තර විගණන) | - කරු.දැ.ගැ.ස. |

Highway Schedule of Rates - 2018

Annexture -01

| Item No. | Description | Unit | AMENDED RATE 2018APPROVED |
|----------|---|-------|------------------------------|
| | <u>Basic Rates</u> | | |
| | <u>BITUMEN & EMULSION - (TRANSPORT TO BE ADDED SEPARATELY)</u> | | |
| B0-351 | Bitumen 80/100[drums] (purchase> 25drums) | liter | 94.50 |
| B0-351A | Bitumen 60/70 (drums)(purchase> 25drums) | liter | 94.50 |
| B0-352 | Emulsion -C.S.S.1 (Excluding transp.) | liter | 78.00 |
| B0-353 | Emulsion -C.R.S.1 (Excluding transp.) | liter | 78.00 |
| B0-354 | Emulsion -C.R.S.2 (Excluding transp.) | liter | 85.00 |
| B0-355 | Bitumen80/100 [bulk] (delivery at site) for asphalt plant (with De-cant cost) | kg | 96.50 |
| B0-355A | Bitumen 60/70 (Bulk) (Delivery at Site) for all asphalt plants (with De-cant cost) | Kg | 96.50 |
| B0-355B | Bitumen 80/100[Bulk] | Kg | 97.50 |
| B0-355C | Bitumen 60/70[Bulk] | Kg | 97.50 |
| B0-356 | Liquid Asphalt-MC 30 | liter | 125.00 |
| | <u>PREMIXED BITUMINOUS MATERIALS (PRICE INCLUSIVE OF ALL RAW MATERIAL TRANSPORT AND ROYALTY ON AGGREGATE)</u> | | |
| B0-361A | Asphalt Concrete Surfacing Material binder 60/70 bitumen @ 4.7% Mix | M.ton | 8,158.00 |
| B0-362A | Asphalt concrete binder course material: binder 60/70 bitumen @ 4.1% mix | M.ton | 7,388.00 |
| B0-362B | Asphalt Concrete Cut Back (19 mm) | M.ton | 8,829.00 |
| | <u>SECTION - VI</u> | | |
| | NOTE -: COST OF AGGREGATE SUPPLY AND TRANSPORT NOT INCLUDED IN THE RATES FOR ITEMS M1-001, M1-004, M1-007, M1-008 AND M1-009 | | |
| | <u>SECTION - VII</u> | | |

Highway Schedule of Rates - 2018

Annexture -01

| Item No. | Description | Unit | AMENDED RATE 2018APPROVED |
|----------|--|------|------------------------------|
| | <u>ROAD SURFACE TREATMENT</u> | | |
| | (SAND TRANSPORT UP TO 20 KM INCLUDED IN THE RATES) TRANSPORT OF BITUMEN AND EMULSION TO BE PAID SEPERATELY | | |
| S1-001 | Bitumen surface 1st coat using 2ltr/sq.m including blinding with sand @ the rate of 125 sq.m/cu.m[SSCM 503.1] (including cost of bitumen) | Sq.m | 336.00 |
| S1-002 | Bitumen surfacing 1st coat using 2ltr/sq.m including blinding with gravel where sand is not available within 20km.(including cost of bitumen) | Sq.m | 316.00 |
| S1-007 | Bitumen surfacing subsequent coat using 0.75ltr/sq.m including blinding with sand @ 125 sq.m/cu.m [SSCM 503.1(b)] (including cost of bitumen) | Sq.m | 171.00 |
| S1-008 | Bitumen surfacing 2nd/subsequent coat using 1.0ltr/sq.m including blinding with sand @ rate of 125 sq.m/cu.m (New work) [SSCM 503.1(b)] (including cost of bitumen) | Sq.m | 199.00 |
| S1-009 | Bitumen surfacing subsequent coat using 0.75ltr/sq.m including blinding with gravel free of clay where sand is not available within 20 km [SSCM 503.1(b)] (including cost of bitumen) | Sq.m | 151.00 |
| S1-010 | Bitumen surfacing 2nd/subsequent coat using 1.0ltr/sq.m including blinding with gravel free of clay where sand is not available within 20km (New work) [SSCM 503.4(c)] (including cost of bitumen) | Sq.m | 179.00 |
| S1-011 | Emulsion/cold bitumen(CRS-1) surface treatment 1 st coat with 3.5 ltr/sq.m including blinding with sand, @ 125 sq.m/cu.m (manual)(incld cost of emulsion) | Sq.m | 409.00 |
| S1-012 | Emulsion/cold bitumen(CRS-1) surface treatment 1st coat with 3.5 ltr/sq.m(using trolly,emulsion) including blinding with sand, @ 125 sq.m/cu.m(incld cost of emulsion) | Sq.m | 390.00 |
| S1-013 | Emulsion/cold bitumen(CRS-1) surface treatment subsequent Coat with .75 ltr/sq.m including blinding with sand, @ 125 sq.m/Cu.m (Manual)(incld cost of emulsion) | Sq.m | 132.00 |
| S1-014 | Emulsion/Cold bitumen(CRS-1) surface treatment subsequent coat with .75 ltr/sq.m (using trolley, emulsion) including blinding with sand, @ 125 sq.m/cu.m(incld cost of emulsion) | Sq.m | 125.00 |

Highway Schedule of Rates - 2018

Annexture -01

| Item No. | Description | Unit | AMENDED RATE 2018APPROVED |
|----------|--|------|------------------------------|
| S1-015 | Tack coat using emulsion (CRS-1) @ the rate of 0.5 ltr/Sq.m inclusive of brushing, cleaning road surface and cost of emulsion (manual) [SSCM 502.3] | Sq.m | 67.00 |
| S1-015A | Tack coat using emulsion (CRS-1) @ the rate of 0.5 ltr/sq.m(incl cost of emulsion) | Sq.m | 60.00 |
| S1-016 | Tack coat using emulsion (CRS-1) @ the rate of 0.5 ltr/sq.m inclusive of brushing, cleaning road surface and cost of emulsion (Manual) [SSCM 502.3] | Ltr | 134.00 |
| S1-017 | Tack coat using emulsion (CRS-1) @ the rate of 0.75 ltr/sq.m inclusive of brushing, cleaning road surface and cost of emulsion (Manual) [SSCM 502.1-503.3] (including cost of emulsion) | Sq.m | 83.00 |
| S1-018 | Tack coat with 30% cut back bitumen using 0.5 ltr/sq.m including brushing and cleaning road surface (Manual))(including cost of bitumen) | Sq.m | 97.00 |
| S1-019 | Tack coat with 30% cut back bitumen(80/100) using 0.5 ltr/sq.m including brushing and cleaning road surface (Manual) (Excluding cost of bitumen) | Ltr | 193.00 |
| S1-020 | Tack coat with 30% cut back bitumen using 0.75 ltr/sq.m including brushing and cleaning road surface (Manual) [SSCM 503.4(d)](including cost of bitumen) | Sq.m | 125.00 |
| S1-022 | Prime coat with emulsion/cold bitumen(CSS-1) using 1 ltr/sq.m including blinding with sand at the rate of 250 sq.m/cu.m and brushing cleaning and moistening road surface : (including cost of emulsion) | Sq.m | 140.00 |
| S1-022A | Prime coat with emulsion/cold bitumen(CSS-1) using 1 ltr/sq.m including blinding with sand at the rate of 250 sq.m/cu.m(including cost of emulsion) | Sq.m | 133.00 |
| S1-023 | Prime coat with emulsion/cold bitumen(CSS-1) using 1 ltr/sq.m without blinding, but inclusive of brushing, cleaning and moistning road surface(including cost of emulsion) | Sq.m | 114.00 |
| S1-024 | Prime coat with 30% cut back bitumen using 1 ltr/ sq.m including blinding with sand at the rate of 250 sq.m/cu.m and brushing, cleaning and mostening road surface (including cost of bitumen) | Sq.m | 181.00 |
| S1-025 | Prime coat with 30% cut back bitumen using 1 ltr/ sq.m without blinding but inclusive brushing, cleaning and mostening road surface (including cost of bitumen) | Sq.m | 154.00 |

Highway Schedule of Rates - 2018

Annexture -01

| Item No. | Description | Unit | AMENDED RATE 2018APPROVED |
|----------|--|-------|------------------------------|
| S1-027 | Application of asphalt emulsion for surface treatment using CRS-1 (using plant) "rate per litre"(including cost of emulsion) | litre | 106.00 |
| S1-030A | Double bituminous surface treatment with hot bitumen(80/100) using 19mm and 12.5mm single size selected aggregates on existing bituminous surface using plant. Rate to include all labour, material, plant and transport cost of aggregate up to 20Km.(Transport of Binder and Additional transport of aggregate to be paid separately)[SSCM505.5(e)]: | Sq.m | 464.00 |
| S1-030B | Double bituminous surface treatment with hot bitumen(80/100) using 19mm and 9.5mm single size selected aggregates on existing bituminous surface using plant. Rate to include all labour, material, plant and transport cost of aggregate up to 20Km.(Transport of Binder and Additional transport of aggregate to be paid separately)[SSCM505.5(e)]: | Sq.m | 450.00 |
| S1-031 | Supply, lay & compact asphalt concrete (19mm, binder(60/70) 6%mix) -Dense(Plant made) in wearing surface of small worksuch as bridge Decking, reinstatement of trenches etc.(transport of premix to be paid separately)[SSCM 506] (including roller hire) | M.ton | 12,627.00 |
| S1-035 | Bitumen surfacing (Sand sealing -manl) using emulsion (CRS 1) @ 1 ltr. /sq.m including preparing surface, blinding with sand @ 4 cu.m/500 sq.m & pressing with hand rollers.(patching pot holes if necsry & external transport to pay sep.(including cost of emulsion) | Sq.m | 160.00 |
| S1-035A | Patching minor pot holes using sand emulsion mix 1:8 where necessary, prior to sand sealing. Incld cost of emulsion | Sq.m | 24.00 |
| S1-036 | Sand sealing with emulsion CRS-1 at the rate of 1ltr./sq.m using plant.incd.brushing,cleaning, blinding. with sand@ 125 sq.mand rolng. with pneumtc. roller & internal trnsport.[SSCM 504](including roller hire) | Sq.m | 177.00 |
| S1-040 | Sand sealing with emul CRS-2 at the rate of .8 ltr/sq.m using plant ,& blinding with sand at rate 125sq.m/cu.m on D.B.S.T./S.B.S.T. (Triple seal) incl. internal trport (SSCM 504) binder trnport to site to pay separately (including cost of emulsion & roller hire) | Sq.m | 181.00 |
| S1-041 | Slurry sealing to a thickness of 6mm using machinery with modified emulsion (using CSS -1) as the binder (Including cost of emulsion, additional transport of aggregate to pay seperately) | Sq.m | 160.00 |

Highway Schedule of Rates - 2018

Annexture -01

| Item No. | Description | Unit | AMENDED RATE 2018APPROVED |
|----------|---|---------|------------------------------|
| | <u>SECTION - VIII</u> | | |
| | <u>ROAD SURFACE MAINTAIN</u> | | |
| | INTERNAL TRANSPORT OF HOT BITUMEN UP TO 16 KM AND SAND TRANSPORT UP TO 16 KM INCLUDING IN THE RATES | | |
| MN-001 | Patching with hot bitumen(80/100) using 14 litres per 1/2 km(SSCM 1102.1-3) | 1/2 K.m | 3,941.00 |
| MN-002 | Patching with hot bitumen using 21 ltrs. per 1/2 k.m. | 1/2 K.m | 5,912.00 |
| MN-003 | Patching with hot bitumen using 28 ltrs. per 1/2 k.m. | 1/2 K.m | 7,882.00 |
| MN-004 | Patching with hot bitumen using 35 ltrs. per 1/2 k.m. | 1/2 K.m | 9,853.00 |
| MN-005 | Patching with hot bitumen using 42 ltrs. per 1/2 k.m. | 1/2 K.m | 11,824.00 |
| MN-006 | Patching with hot bitumen using 49 ltrs. per 1/2 k.m. | 1/2 K.m | 13,794.00 |
| MN-007 | Patching with hot bitumen using 56 ltrs. per 1/2 k.m. | 1/2 K.m | 15,765.00 |
| MN-008 | Extensive Patching for every additional 7 ltrs. hot bitumen | 1/2 K.m | 1,971.00 |
| MN-009 | Patching with cold bitumen (CRS-1) using 14 ltrs per 1/2 k.m. | 1/2 K.m | 2,744.00 |
| MN-010 | Patching with cold bitumen (CRS-1) using 21 ltrs. per 1/2 k.m. | 1/2 K.m | 4,115.00 |
| MN-011 | Patching with cold bitumen (CRS-1) using 28 ltrs. per 1/2 k.m. | 1/2 K.m | 5,487.00 |
| MN-012 | Patching with cold bitumen (CRS-1) using 35 ltrs. per 1/2 k.m. | 1/2 K.m | 6,859.00 |
| MN-013 | Patching with cold bitumen (CRS-1) using 42 ltrs. per 1/2 k.m. | 1/2 K.m | 8,231.00 |
| MN-014 | Patching with cold bitumen (CRS-1) using 49 ltrs. per 1/2 k.m. | 1/2 K.m | 9,602.00 |
| MN-015 | Patching with cold bitumen (CRS-1) using 56 ltrs. per 1/2 k.m. | 1/2 K.m | 10,974.00 |
| MN-016 | Extensive patching for every additional 7 ltrs. cold bitumen, CRS-1: | 1/2 K.m | 1,372.00 |
| | <u>SECTION -X</u> | | |
| | <u>BRIDGES AND STRUCTURES</u> | | |
| ST-123 | Bitumenous sealing material supplied and laid under beam ends to prevent grout leak on to capping beam. transport of emulsion not included. (including cost of emulsion) | L.m | 184.00 |

Highway Schedule of Rates - 2018

Annexure -01

| Item No. | Description | Unit | AMENDED RATE 2018APPROVED |
|----------|---|-------|------------------------------|
| ST-131 | M.S. angle iron and hard rubber expnsion joints as per Drawing No T/B/107 Rev. 1 | L.m | 9,271.00 |
| | <u>SECTION - XIII</u> | | |
| | <u>MISCELLANEOUS</u> | | |
| MS1-001 | Preparing stock piling premix using pen, Grade bitumen (Excl. transport of aggregate)(Site made) (including cost of bitumen) | Cu.m | 20,171.00 |
| MS1-002 | Patching shallow pot holes. Depth less 20mm using hot bitumen 1.2ltr/sq.m & 12.5mm chips single size @ 13.75 codec m/sq.m include. hand tamping rat. including cost of bitumen & including cost of materials.)(Incl. transpt. of aggregate & Excl. Bitumen) | Sq.m | 312.00 |
| MS1-003 | Patching shallow potholes, Depth less than 20mm using 10-20% cutback 80/100bitumen 1.2ltr/sq.m and 12.5mm chips, single size at the rate of 13.75 cuDeci m/sq.m including hand tamping(rate includes cost of bitumen and materials)(Incl.transport of aggregate and excl. bitumen | Sq.m | 322.00 |
| MS1-003A | Patching shallow potholes, part 1 of item no MS-003 (including cost of bitumen) | litre | 124.00 |
| MS1-004 | Patching shallow pot holes,depth less than 20mm using emulsion (crs1) @the rate of 1.2ltr/sq.m & 12.5mm chips single size at the rate of 13.75 cu.deci m/sqm includig hand tamping transport of emulsion to site etc. rate includes cost of emulsion and incl other materials)(Incl. transprt of aggregate) | Sq.m | 286.00 |
| MS1-005 | Patching potholes, of medium Depth 20-75mm with premix material (site made) using cut back 80/100 bitumen 10-20% @ the rate of 83.5lit per cu.m of 19mm and down gauge stone aggregate, including preparation of surface tack coat with emulsion(CSS1) at .75ltr/Sqm,trimming sides,laying premix and tamping.(rate inclusive of premix made at site & tack coat)(Incl. transport of aggregate) | Sq.m | 2,235.00 |
| MS1-005B | Patching pot holes of medium ,depth of 20-75mm - part 2 of the item MS-005 (Exclude cost of emulsion) | Sq.m | 567.00 |
| MS1-005C | Patching potholes of medium Depth - part 3 of item MS-005 | Cu.m | 21,169.00 |
| MS1-006 | Patching potholes using plant made premix bound including sealing the patching with emulsion (CRS-1) painting @ 7.3 ltr/m.ton cover with sand (Transport of premix paid separately) (include cost of emulsion) | M.ton | 13,436.00 |

Highway Schedule of Rates - 2018**Annexure -01**

| Item No. | Description | Unit | AMENDED RATE 2018APPROVED |
|-----------------|---|-------------|--------------------------------------|
| MS1-007 | Patching potholes of medium Depth 20-75mm using graded aggregate 19-12.5mm with hot bitumen 1.75 ltr/sq.m and blot. material at 1 cu.m/125 sq.m andf .75ltr/sq.m tack coat(CSS-1) (Excluding cost of emulsion & bitumen) | Sq.m | 1,364.00 |
| MS1-008 | Patching Deep pot holes deeper than 75 mm with c/b premix material (site made) to a depth of 37.5 mm using 10-20% cut back bitumen at the rate of 83.5 ltr/cu.m of 19 mm .75 ltr/sq.m | Sq.m | 1,265.00 |
| MS1-010 | Patching ruts and Depressions upto 75mm Depth using site made cold mix(Cut back) material with the surface and edge prepared as per specifications .75ltr/sq.m tack coat (include cost of emulsion) | Sq.m | 2,017.00 |
| MS1-011 | Patching ruts and Depressions upto 75mm Depth using plant made cold mix(cut back) material with .75ltr/sq.m tack coat(CSS-1)(premix paid separately) (including cost of emulsion) | Sq.m | 1,507.00 |
| MS1-012 | Patching ruts and Depressions upto 75mm Deep with .75ltr/sq.m tack coat(CSS-1) 50mm Down aggregate, hot bitumen applied at 1.75ltr/sq.m, blotting material at 1 cu.m/125 sq.m(Agg. paid separately) (including cost of emulsion & bitumen) | Sq.m | 1,688.00 |
| MS1-013 | Patching ruts and Depressions upto 75mm Deep with .75ltr/sq.m tack coat(CSS-1) 50mm Down aggregate, hot bitumen applid at 1.75ltr/sq.m, blotting material at 1 cu.m/125 sq.m(agg. paid separately) including cost of emulsion & bitumen) | Sq.m | 1,279.00 |
| MS1-014 | Patching ruts and Depressions Deeper than 75mm with .75ltr/sq.m tack coat(CSS-1) 50mm Down aggregate, hot bitumen applid at 1.75ltr/sq.m, blotting material at 1 cu.m/125 sq.m(Agg. paid separately) | Sq.m | 1,448.00 |
| MS1-015 | Correcting and strengthening edges of the road by cold mix 40mm thick, cutback 10-20%, at the rate of 83.5ltr/cu.m on 19mm down aggregate, over 50mm down aggregate, tack coat .75 ltr/sq.m(CSS 1) (including cost of emulsion) | Sq.m | 2,060.00 |
| MS1-016 | Correcting & strengthening edges of road by cutback(10-20%) cold mix 40mm thick with 83.5ltr/cu.m 19mm Down aggregate .75ltr/sq.m tack coat(CSS-1) over 50 mm down over Closely packed 100mm agg. with excav. width 225mm, depth 225mm (inc.emul & bitumen) | Sq.m | 2,398.00 |

Highway Schedule of Rates - 2018

Annexture -01

| Item No. | Description | Unit | AMENDED RATE 2018APPROVED |
|----------|---|-------|------------------------------|
| MS1-017 | Patch sealing with emulsion painting the surface by spray of crs 1 @ .75ltr/sq.m squeegeing the emulsion and spreading the blotting material (Sand) at the rate of 1 cu.m/125 sq.m . (including cost of emulsion) | Sq.m | 162.00 |
| MS1-018 | Patch sealing with hot bitumen painting the surface by using .75ltr/sq.m squeegeing the bitumen and spreading the blotting material (Sand) at the rate of 1 cu.m/125 sq.m (Transport of bitumen paid separately) (including cost of bitumen) | Sq.m | 179.00 |
| MS1-019 | Patch sealing of pitted surface, using hot sand bitumen mix 104 ltr/cu.m of sand spread and tamped including brushing and cleaning of surface.(including cost of bitumen) | Sq.m | 418.00 |
| MS1-019A | Patch sealing of pitted surface, part A of item MS-019 (including cost of bitumen) | Sq.m | 23,389.00 |
| MS1-020 | Patch sealing of pitted surface, using emulsion sand slurrey. | Sq.m | 405.00 |
| MS1-020A | Patch sealing of pitted surface with sand emulsion slurry, part A of item MS-020A (Including cost of emulsion) | Sq.m | 17,781.00 |
| MS1-057 | Patching road with premix(Loose volume) after prep, surface with emulsion (CSS-1) at .75 ltr/sq.m at tack coat including internal transport and hand stamping. (Supply of premix (Loose volume) paid separately) [SSCM 1102.3(b)] (including cost of emulsion) | Cu.m | 7,722.00 |
| MS1-058 | Patching road with premix after preparing surface with emulsion (CSS-1) at .75 ltr/sq.m as tack coat, including internal transport and stamping with machine (Supply of premix paid separately) [SSCM 1102.3(b)(i)] (including cost of emulsion) | M.ton | 7,574.00 |
| MS1-060 | Preparing and stock piling premix at site using 12.5 mm aggregate and emulsion (CSS-1) (Including transport of aggregate) :(including cost of emulsion) | Cu.m | 16,950.00 |
| SSR | Asphalt Concrete wearing course binder 60/70 bitumen 4.7% Mix-Dense (19mm) Ex-plant | M.ton | 9,790.00 |
| SSR | Asphalt concrete binder course binder bitumen 4.1% MIX-dense [19mm] - Ex-plant | M.ton | 8,866.00 |
| SSR | Asphalt Concrete Cut Back (19 mm) | M.ton | 10,595.00 |