





204. ඩෙන්සිල් කොබ්බෑකඩුව මාවත. බත්තරමුල්ල. 204. டென்சில் கொப்பேகடுவ மாவத்தை. பத்தரமுல்ல. 204. Denzil Kobbekaduwa Mawatha, Battaramulla.

emic comba Resemble Emissi General Telephone

011 - 2093000



இதன் ஏறைவ என்று இலக்கம் My No.

CSWP/ENG-ADM/8-24/FI/1-A

இச்சி අංචාල உயது இலக்கம் Your No. දිනය ණාණ Date

2019.05.22

පළාත් ගොඩනැහිලි අධායක්ෂ/ පළාත් වාරිමාර්ග අධායක්ෂ,

සහපති, පළාත්බද මාර්ග සංවර්ධන අධිකාරිය(බ.ප.),

පළාත් පාලන කොමසාරිස් සහ සියලුම පළාත් පාලන ආයතන ලේකම්වරුන්,

බස්තාහිර පළාතේ සියලුම පුාදේශීය ලේකම්වරුන්,

සියලුම පුාදේශීය ඉංජිනේරුවරුන්

සුළු වාරිමාර්ග ගාස්තු උපලේඛණය 2019

2019.05.22 .දින සිට නැවත දැනුම දෙන තුරු ඉදිකිරීම් ඇස්තමේන්තු පිළියෙල කර ගැනීමට උපයෝගී කරගතයුතු සුළු වාරිමාර්ග ගාස්තු උපලේඛනයේ පිටපතක් මේ සමඟ එවමි.

02. මෙම රේට මිල ගණන් පිළියෙල කිරීමේදී එකතු කළ අගය මත බදු (VAT) ,රේට මිල ගණන් වලට අඩංගු කර නැත.ඇස්තමේන්තු පිළියෙල කිරීමේදී එකතු කල අගය මත බදු ,පුමාණ බිල්පතේ මුළු එකතුවට අමතර මුදලක් වශයෙන් එකතු කළ යුතුය.

03. ලේඛනයේ සදහන් රේට් මිල ගණන් සකසා ඇත්තේ ඛස්නාහිර පලාතේ දිස්තුික් තුනම ආවරණය වන පරිදි හා විවෘත වෙළඳපලේ පවතින මූලික දුවා මිල ගණන් වල සාමානා අගයන් පදනම් කර ගැනීමෙනි.කෙසේ . වූවද,මෙහි සදහන් දුවා වල මිල හා ඔබගේ බල පුදේශය තුල පවතින මිල ගණන් අතර සැලකිය යුතු වෙනස්කම් තිබේනම් ,ඒ පිලිබඳව මා වෙත දැන්වීමට පියවර ගන්න.එවැනි විශේෂ අවස්ථාවකදී යම් බල පුදේශයකට පමණක් සීමාවන පරිදි මිල ගණන් සංශෝධනය කිරීමට පියවර ගත හැක.

04. ඇස්තමේන්තු පිළියෙල කිරීමේදී භාවිතා කිරීම සඳහා මෙම ලේඛනයේ පිටපත් අදාල කාර්මික නිලධාරීන් වෙත කරුණාකර නිකුත් කරන්න.

05. මෙම රේට මිල ගණන් පිළියෙල කර ඇත්තේ සුළු වාරිමාර්ගදුවා වල ගුණාත්මක බව (material quality) සහ ඉදිකිරීම නිමාව (Workmanship) ශ්‍රී ලංකා (SLS) ,බුතානා (BS) සහ (A.S.T.M) පුමිතීන්ට අනුකූලව සහ ICTAD පිරිවිතර SCA/3/1,SCA/3/2,SCA/3/3, SCA/4(VOL-I),SCA/4(VOL-II),SCA/5,SCA/8

නියෝජන පුධාන දේකම්
பிற்ற பிரதான செயலாறர்
Deputy Chief Secretary

Administration	Personne
Tel: 0112092606 fox: 0312092609	Tel : 01 '
desaémin@cs.wpc.gov.lk	despt@es

සිරස් හා පුතුණු

800

ඉංසිනේරා

පූටාන අනගන්තර විනානය



යන පුකාශනවල සඳහන් ගුණාංගයන් සපුරාලන බව උපකල්පනය කරමිනි. ඒ අනුව මෙම මිල ගණන් උපයෝගී කර ගැනීමේදී ඉහත පුකාශනවල අඩංගු පුමිතීන්ට අනුකූලව ඉදිකිරීම සිදුවිය යුතු බව අවධාරණය කරනු කැමැත්තෙමි.

ඩබ්.එම්.ඩී.එන්.රණසිංහ,

නියෝජාා පුධාන ලේකම් (ඉංජිනේරු),

බස්තාහිර පලාත.

ඔබ්. එම්. ඩි. එන්. රණසිංහ නියෝජප පුධාන ලේකම් (ඉංජිනේරු) පුධාන ලේකම් කාර්කාලය (බ.ප.) පස්වන මහල, **අංක 204**, ඩෙත්සිල් කො**බ්බෑකඩුව** මාවත, ඛත්තරමුල්ල.

පිටපත්:

- 1. පුධාන ලේකම් (බ.ප.)
- 2. බස්නාහිර පලාතේ සියලුම අමාතාහාංශ ලේකම්වරුන්
- 3. අධාක්ෂ (අභාන්තර විගණන)
- 4. විගණන අධිකාරි
- 5. පුධාන ලේකම් (බ.ප.)
- 6. බස්නාහිර පලාතේ සියලුම අමාතාහාංශ ලේකම්වරුන්
- 7. අධාක්ෂ (අභාන්තර විගණන)
- 8. විගණන අධිකාරි

IRRIGATION SCHEDULE OF RATES - 2019

ALL RATES ARE COMMON TO COLOMBO, GAMPAHA & KALUTARA DISTRICTS



(Rates effective from 22.05.2019 until further notice.)

PROVINCIAL IRRIGATION
DEPARTMENT

WESTERN - PROVINCE

Issue No.01 Rev.No.00 DOI: 2019-05-22

IRRIGATION SCHEDULE OF RATES

General Notes

- This Irrigation Schedule of Rates (ISR) has effected date from 2019.05.22 until further notice, and this rates are intended to be adopted in pricing an Engineering estimate for the rehabilitation, repairing, improvement or construction of irrigation projects of western province.
- This ISR has been prepared based on work normally adopted for Irrigation works with eight hour labour input. Over head and profit components are included 20%. Provision should be made seperately in the estimate and should allow for maximum up to 10% of the BOQ total as contingencies.
- Any material not conforming to Sri Lanka Standard Specification and /or workmanship not conforming to the (SCA/3/1) specifications for Irrigation and Land Drainage are to be rejected.
- 4 Unit rates and extension shall be given in Sri Lanka rupees to maximum of two significant places of decimals.
- The item description of the BOQ shall confirm to that in the relevant items as appearing in this schedule, When preparing this BOQ base on these rates so as to avoid any ambiguity.
- The rates given in this ISR valid for works carried out as per specification for Irrigation and Land Drainage issued by ICTAD publication no. SCA/3/1.
- When it is necessary to convert from imperial to metric unit apply conversion factor as follows.

To convert rate per	To rate per	Multiply the
Cube	m^3	0.35
Square	m^2	0.10
Sq.ft.	m^2	10.76
L.ft.	m	3.28
Cwt.	Kg.	0.01

8 Unit Conversions

convert Lit. to gal. multiply by 0.222 convert Miles to Km. multiply by 1.609 convert Kilo to pounds multiply by 2.205 convert hundred weights to Kg.multiply by 50.802 convert feet to metres by multiply 0.3048 convert acres to hectares by multiply 0.4046 convert square miles to hectares multiply by 258.99

9 Useful Data for steel as follows.

(i) Steel Bars

Dia. mm	Area Sq.mm	Normal weight (Kg/m.)	Minimum bend Radius (mm)
6	28	0.222	-
8	50.3	0.395	-
10	78.5	0.617	28
12	113	0.888	44
16	201	1.580	70
18	254	2.000	70
20	314	2.470	88
22	380	2.980	88
25	491	3.850	140
28	615	4.830	178
32	804	6.310	178
36	1018	7.990	224
40	1257	9.860	224

(ii) Angle Iron

Size (mm)	Sectional Area Sq.cm	weight (Kg/m.)
25x25x4	1.85	1.45
35x35x5	3.28	2.57
50x50x6	5.69	4.47
65x65x6	7.53	5.91
75x75x6	8.73	6.85

(iii) Flat Iron

Size (mm)	Thickness (mm)	weight (Kg/m.)
20x5	5	0.98
50x6	6	2.36

10 **Abbreviations**

Abbreviations used in this BOQ denotes the following.

Ft	Feet	c/c	Centre to centre
L.ft.	Linear Feet	@	Each
		Gr.	Grade
Ft ²	Square Feet	Approx	Approximately
Sq.ft.	Square Feet	Thk.	Thick
Sqr.	Squares		
Ft ³	Cubic Feet	Y/T	Tor steel
Cu.ft.	Cubic feet	Т	Tor steel
Cu	Cube	M.S.	Mild steel
m	metre	R	Mild steel
L.m.	Linear metre	G.L.	Ground Level
m²	Square metre	L.day	Labour day
Sq.m.	Square metre	S.day	Semi skill day
		Un. day	Un skill Labour day
m ³	Cubic metre	C.I.	Cast Iron
Cm.	Cubic metre	W.I.	Wrought Iron
mm.	milli metre	F/W	Form work
cm.	Centi metre	R/F	Reinforcement
Kg.	Kilogramme	Rs.	Rupees (Sri Lankan)
hr.	hour	cts.	Cents (Sri Lankan)
BOQ	Bill of Quantities	mr.	Motar
Ele.	Elevation	ct.mr.	Cement motar
No.	Number (to indicate as item,page)	T/T	Tractor Tailor
Nr.	Number (to indicate as quantity)	Qty.	Quantity
RCC	Reinforced Cement Concrete	dia.	Diameter
G.W.L.	Ground water level	G.I.	Galvernized iron
T.P.I.	Thread per inch		

END

	PRICE LIST FOR ISR - 2019			
ITEM NO.	DESCRIPTION	UNIT	PRICE (excluding VAT)	
	MASONRY			
1	Cement - 50kg bags of "INSEE Sanstha", "INSEE Mahaweli Marine", "Ambuja", "L & T", "Nippon", "Ultra Tech" & "Singhe" etc., (O.P.C. complying to S.L.S.107) (including around 16km transport with loading & unloading)	Nr.	952.00	
	Rubble 6" x 9" (including around 16 km transport with loading &			
2	unloading)	Cube	5000.00	
3	Washed sand or river Sand (including around 20 km transport with loading & unloading)	Cube	13,474.00	
4	Chips 1/2" (including around 16 km transport with loading &			
	unloading)	Cube	7750.00	
5	Metal 3/4" (including around 16 km transport with loading &			
	unloading)	Cube	7100.00	
6	Metal 1" (including around 16 km transport with loading & unloading)	Cube	7500.00	
7	Metal 1 1/2" (including around 16 km transport with loading &			
	unloading)	Cube	7000.00	
8	Quary Dust (including around 20 km transport with loading & unloading)	Cube	7500.00	
9	Aggregate Base Course (ABC)- graded 37.5 mm. (excluding transport)	Cube	6,792.00	
10	Drinking Water	1Ltr.	0.17	
	STEEL			
11	Tor steel - (including transport)	kg	145.00	
12	Mild steel - (including transport)	kg	145.00	
13	Binding wire	kg	380.00	
14	25 x 25 x 5mm Angle iron	L.ft	64.00	
15	38 x 38 x 5mm Angle iron	L.ft	98.00	
16	50 x 50 x 6mm Angle iron	L.ft	174.00	
17	65 x 65 x 6mm Angle iron	L.ft	236.00	
18	75 x 75 x 6mm Angle iron	L.ft	264.00	
19	100 x 50 x 6mm Channel iron	L.ft	430.00	
20	125 x 65 x 6mm Channel iron	L.ft	596.00	
21	150 x 75 x 6mm Channel iron	L.ft	728.00	
22	Steel Wire nails 1"	kg	134.50	
23	Steel Wire nails 1 1/2"	kg	132.30	
24	Steel Wire nails 2"	kg	132.30	
25	Steel Wire nails 3"	kg	127.90	
26	Steel Wire nails 5"	kg	127.90	
27	10mm dia. M.S bars	L.ft	25.00	
28	5mm thick M.S.Plate (8' X 4')	Sq.ft	503.00	
29	10mm thick M.S. Plate (8' X 4')	Sq.ft	981.00	
30	12mm thick M.S. Plate (8' X 4')	Sq.ft	1,250.00	

Page 1 of 6 Rev.No.00 DOI: 2019-05-22

	T		I
31	1" dia. Steel chain	L.ft	250.00
32	50 x 6mm. Flat iron	L.ft	102.50
33	20 x 5mm Flat iron	L.ft	30.00
34	GI Pipe - 1"dia. x 2mm. thk.	L.ft	126.00
35	GI Pipe - 2"dia. 2.3mm. thk.	L.ft	279.00
36	GI Pipe - 3" dia. x 2.9mm thick	L.ft.	494.00
37	G.I. Pipe - 1"dia x 4 mm.thk.	L.ft	197.00
38	G.I. Pipe - 1 1/2"dia x 4mm. thk.	L.ft	297.00
39	G.I. Pipe - 2"dia x 4.5 mm.thk.	L.ft	398.00
40	G.I. Pipe - 2 1/2"dia x 4.5mm.thk.	L.ft	526.00
41	3/4" x 3/4") 2mm. thk. (3/4" x 3/4") Hollow Section	L.ft	59.70
42	Pop rivert	Nr.	2.00
43	1/4" dia. 2 1/2" long nut & bolt	Nr.	30.00
44	G.I. Pipe - 3 "dia.x 4.8mm	L.ft	686.00
	HUME PIPE (R.C.C)		
45	04" Dia. X 8'-0"	Nr.	3480.00
46	06" Dia. X 8'-0"	Nr.	3840.00
46.1	06" Dia. X 4'-0"	Nr.	2130.00
47	09" Dia. X 8'-0"	Nr.	3750.00
47.1	09" Dia. X 4'-0"	Nr.	2445.00
48	12" Dia. X 8'-0"	Nr.	4900.00
48.1	12" Dia. X 4'-0"	Nr.	3030.00
49	15" Dia. X 8'-0"	Nr.	5910.00
	15" Dia. X 4'-0"	Nr.	3210.00
50	18" Dia. X 8'-0"	Nr.	5900.00
50.1	18" Dia. X 4'-0"	Nr.	3570.00
51	24" Dia. X 8'-0"	Nr.	8200.00
	24" Dia. X 4'-0"	Nr.	5280.00
52	30" Dia. X 8'-0"	Nr.	14460.00
	30" Dia. X 4'-0"	Nr.	7530.00
53	36" Dia. X 8'-0"	Nr.	16500.00
53.1	36" Dia. X 4'-0" 42" Dia. X 8'-0"	Nr.	13020.00
54 54.1	42" Dia. X 8 -0 42" Dia. X 4'-0"	Nr. Nr.	25440.00 13020.00
55	48" Dia. X 8'-0"	Nr.	33000.00
55.1	48" Dia. X 4'-0"	Nr.	17700.00
33.1	40 Bld. X 4 0	IVI.	17700.00
	HUME PIPE COLLARS (R.C.C)		
56	06" Dia.	Nr.	690.00
57	09" Dia.	Nr.	690.00
58	12" Dia.	Nr.	780.00
59	15" Dia.	Nr.	780.00
60	18" Dia.	Nr.	870.00
61	24" Dia.	Nr.	960.00
62	30" Dia.	Nr.	1230.00
63	36" Dia.	Nr.	1320.00

Page 2 of 6 Rev.No.00 DOI: 2019-05-22

64	42" Dia.	Nr.	1590.00
65	48" Dia.	Nr.	2220.00
	<u>Timber</u>		
66	Specified timber "Kumbuk"	Cu.ft	8099.50
67	Specified timber " Naa, Mee"	Cu.ft	5150.00
68	Plywood ordinary 12mm thick (8'x4')	Sq.ft	52.00
69	Plywood ordinary 15mm thick (8'x4')	Sq.ft	63.00
70	Rubber planks - 3/4" thick	Sq.ft	32.00
71	Rubber planks - 1" thick	Sq.ft	35.00
72	Rubber planks - 1 1/2" thick	Sq.ft	50.00
73	Timber 2" x 1" Class II - for shuttering	L.ft	18.00
74	Timber 2" x 2" Class II - for shuttering	L.ft	40.00
75	Timber 4" x 2" Class II - for shuttering	L.ft	90.00
,,,	Timber 4 X 2 Class II Tor shattering	Lift	30.00
	MISCELLANEOUS		
76	Bitumen	1Ltr.	565.00
77	Brass padlock (2")	Nr.	565.00
78	PVC Pipe 4" dia. (type 250)	L.ft	99.00
79	Polysack Bags (filling 65kg capacity) with transport	Nr.	30.00
80			652.00
	Anticorrosive paint	1Ltr.	
81 82	Enamal paint Wood preservative	1Ltr.	1,098.00 320.00
		1Ltr.	
83	Turf	Sq.ft	6.50
84	Digital print	Sq.ft	85.00
85	Paint Brush 1" -Jat	Nr.	191.30
86	Paint Brush 1 1/2" -Jat	Nr.	240.00
87	Paint Brush 2" -Jat	Nr.	370.00
88	Paint Brush 3" -Jat	Nr.	478.00
89	Paint Brush 4" -Jat	Nr.	687.00
90	Paint Brush 6" -Jat	Nr.	861.00
91	Sand paper	Nr.	60.00
92	Grease	Kg	800.00
	DIANT		
93	Water pump (with necessary items)	Dor Doy	2000.00
95	Tractor & Tailer	Per Day	2800.00 6000.00
94	Tractor & railer	Per Day	8000.00
95	Hydrolic Backhoe excavator (1Cu.yd) (output 102.2Cubes/ 8 hours)	Per Hour	3500.00
96	Hydrolic Backhoe excavator (1Cu.yd) (output 102.2Cubes/ 8 hours)	Pel Houl	3300.00
90	with barge PC 100-PC 40	Dorllour	F000 00
97	Concrete mixer with operator & fuel /(8 hour day)	Per Hour	5000.00
	· · · · · · · · · · · · · · · · · · ·	Per Day	5000.00
97.1	Vibrator / (8 hour day)	Per Day	3200.00
98	Welding Plant / (8 hour day)	Per Day	1500.00
99	Vibrating roller (1/2-1 ton)with fuel.	Per Day	5000.00
	VEHICLE TRANSPORT		
100	Low bed tailer (first 15km)	Each	11000.00
100	Additional 1km	Each	260.00
101	Additional Infil	Lacii	200.00
		1	

	LABOUR		
102	Skill Labour - (Carpenter, mason, barbender etc.)/ 8 hours	Per Day	2,400.00
103	Semi skill Labour / 8 hours	Per Day	2,100.00
104	Unskill Labour / 8 hours	Per Day	1,900.00
	Chiskin Educat / Chicars	Ter Buy	,
	CAST IRON SLUICE GATES & COMPONENTS		
105	3" (75 mm.) dia. Cast iron sluice gate complete with fitting	Nr.	22200.00
106	4" (75 mm.) dia. Cast iron sluice gate complete with fitting	Nr.	22200.00
107	6" (75 mm.) dia. Cast iron sluice gate complete with fitting	Nr.	25800.00
108	9" (75 mm.) dia. Cast iron sluice gate complete with fitting	Nr.	38400.00
109	12" (75 mm.) dia. Cast iron sluice gate complete with fitting	Nr.	42000.00
110	15" (75 mm.) dia. Cast iron sluice gate complete with fitting	Nr.	60000.00
111	18" (75 mm.) dia. Cast iron sluice gate complete with fitting	Nr.	84300.00
112	24" (75 mm.) dia. Cast iron sluice gate complete with fitting	Nr.	110400.00
113	30" (75 mm.) dia. Cast iron sluice gate complete with fitting	Nr.	231000.00
114	36" (75 mm.) dia. Cast iron sluice gate complete with fitting	Nr.	330000.00
115	40" (75 mm.) dia. Cast iron sluice gate complete with fitting	Nr.	420000.00
	CAST IRON SLUICE GATE SPARES		
116	C.I. Housing & Base Plate - 3/4"	Nr.	4200.00
117	C.I. Housing & Base Plate - 1"	Nr.	4200.00
118	C.I. Housing & Base Plate - 1 1/4"	Nr.	4200.00
119	C.I. Housing & Base Plate - 1 1/2"	Nr.	5100.00
120	C.I. Housing & Base Plate - 2"	Nr.	6000.00
121	C.I. Housing & Base Plate - 2 1/2"	Nr.	9600.00
	PIN TYPE "L" DEVICE		
122	Pin Type L Device (without padlock) - 3/4"	Nr.	870.00
	Pin Type L Device (without padlock) - 1"	Nr.	870.00
124	Pin Type L Device (without padlock) - 1 1/4"	Nr.	870.00
125	Pin Type L Device (without padlock) - 1 1/2"	Nr.	960.00
126	Pin Type L Device (without padlock) - 2"	Nr.	1050.00
127	Pin Type L Device (without padlock) - 2 1/2"	Nr.	1230.00
	PLATE TYPE "L"DEVICE		
128	Plate Type L Device (without padlock) - 3/4"	Nr.	1050.00
129	Plate Type L Device (without padlock) - 1"	Nr.	1860.00
130	Plate Type L Device (without padlock) - 1 1/4"	Nr.	1860.00
131	Plate Type L Device (without padlock) - 1 1/2"	Nr.	2090.00
132	Plate Type L Device (without padlock) - 2"	Nr.	3300.00
133	Plate Type L Device (without padlock) - 2 1/2"	Nr.	4200.00
	BRASS NUT		
134	Brass Nut 04 T.P.I- 3/4"	Nr.	6000.00
135	Brass Nut 04 T.P.I - 1"	Nr.	6000.00
136	Brass Nut 04 T.P.I- 1 1/4"	Nr.	6900.00
137	Brass Nut 04 T.P.I - 1 1/2"	Nr.	8700.00
138	Brass Nut 04 T.P.I - 2"	Nr.	12300.00

Page 4 of 6 Rev.No.00 DOI: 2019-05-22

139	Brass Nut 04 T.P.I - 2 1/2"	Nr.	18600.00
140	Brass Nut 02 T.P.I - 2"	Nr.	12300.00
141	Brass Nut 02 T.P.I - 2 1/2"	Nr.	18600.00
	STEEL SPINDLE		
142	Steel Spindle - 3/4"	L.ft	1050.00
143	Steel Spindle - 1"	L.ft	1050.00
144	Steel Spindle - 1 1/4"	L.ft	1320.00
145	Steel Spindle - 1 1/2"	L.ft	1554.00
146	Steel Spindle - 2"	L.ft	2040.00
147	Steel Spindle - 2 1/2"	L.ft	3300.00
	SPINDLE BUSH		
148	Spindle Bush Welding - 3/4"	Nr.	330.00
149	Spindle Bush Welding - 1"	Nr.	330.00
150	Spindle Bush Welding - 1 1/4"	Nr.	330.00
151	Spindle Bush Welding- 1 1/2"	Nr.	420.00
152	Spindle Bush Welding - 2"	Nr.	510.00
153	Spindle Bush Welding - 2 1/2"	Nr.	780.00
	TUREARING		
454	THREADING		422.00
154	Threading 04 T.P.I 3/4"	L.ft	420.00
155	Threading 04 T.P.I 1"	L.ft	420.00
156	Threading 04 T.P.I 1 1/4"	L.ft	510.00
157	Threading 04 T.P.I 1 1/2"	L.ft	600.00
158 159	Threading - 04 T.P.I 2" Threading - 04 T.P.I 2 1/2"	L.ft L.ft	1230.00
160	Threading - 04 T.P.I 2 1/2 Threading - 02 T.P.I 2"	L.ft	1500.00 1230.00
161	Threading - 02 T.P.I 2 1/2"	L.ft	1500.00
101		Lift	1300.00
	OPERATING WHEEL		
162	Steel Operating wheel 16" φ for- 3/4"	Nr.	3840.00
163	Steel Operating wheel 16" ϕ for-1"	Nr.	3840.00
164	Steel Operating wheel 18" ϕ for- 1 1/4"	Nr.	3840.00
165	Steel Operating wheel 18" ϕ for- 1 1/2"	Nr.	4200.00
166	Steel Operating wheel 20" ϕ for- 2"	Nr.	5550.00
167	Steel Operating wheel 24" φ for- 2 1/2"	Nr.	7800.00
	STEEL RAG BOLT SIZES		
168	Steel Rag Bolt 3/4" ϕ - 1/2" x 9"	Nr.	330.00
169	Steel Rag Bolt - 1"	Nr.	276.00
170	Steel Rag Bolt - 1 1/4"	Nr.	510.00
171	Steel Rag Bolt - 1 1/2"	Nr.	420.00
172	Steel Rag Bolt - 2" φ - 3/4" x 9"	Nr.	690.00
173	Steel Rag Bolt - 2 1/2" φ - 3/4" x 6"	Nr.	600.00
	STEEL RAG BOLT HEAD STOCK		
174	Steel Rag Bolt H. Stock - 1/2" x 6"	Nr.	276.00
174.1	Steel Rag Bolt H. Stock - 1/2" x 9"	Nr.	330.00

175	Steel Rag Bolt H. Stock - 5/8" x 6"	Nr.	420.00
175.1	Steel Rag Bolt H. Stock - 5/8" x 9"	Nr.	510.00
176	Steel Rag Bolt H. Stock - 3/4" x 6"	Nr.	300.00
176.1	Steel Rag Bolt H. Stock - 3/4" x 9"	Nr.	690.00
	STEEL BOLTS & NUT SIZES		
177	Steel Bolts & Nuts - 2" x 1/2"	Nr.	50.00
178	Steel Bolts & Nuts - 2 1/2" x 1/2"	Nr.	60.00
179	Steel Bolts & Nuts - 3" x 1/2"	Nr.	65.00
	STEEL WASHERS SIZES		
180	Steel Washers - 1/2"	Nr.	10.00
181	Steel Washers - 5/8"	Nr.	12.00
182	Steel Washers - 3/4"	Nr.	16.00
	OPERATING HANDLE		
183	Steel Operating handle for- 3/4"	Nr.	870.00
184	Steel Operating handle for-1"	Nr.	870.00
185	Steel Operating handle for- 1 1/4"	Nr.	870.00
186	Steel Operating handle for- 1 1/2"	Nr.	960.00
187	Steel Operating handle for- 2"	Nr.	2130.00
188	Steel Operating handle for- 2 1/2"	Nr.	3300.00
	BLASTING MATERIALS		
189	Steel jumper	Kg	413.75
190	Fuse wire	L.m	38.80
191	Blasting powder	Kg	593.50
192	Dyna cord	L.m	52.20
193	Gelignite	Kg	778.30
194	Ordinary Detonator	Nr.	15.50
195	Electrict Detonator	Nr.	87.10
196	Amonium Nitrate	Kg	148.80
-			

Page 6 of 6 Rev.No.00 DOI: 2019-05-22

RATES FOR IRRIGATION AND DRAINAGE WORKS -2019

PROVINCIAL IRRIGATION DEPARTMENT - WESTERN PROVINCE

ITEM NO.	DESCRIPTION	UNIT	RATE 2019
01	CLEARING AND GRUBBING		
	Note: 1.Light jungle means all growth of vegetation consisting of undergrowth but not excluding"secondary growth jungle" and trees of varying girth and density. Shall be girth of 5% of trees will vary upto 2m. (Girth is measuring at a height of 1m. From the ground level) 1.2 Medium jungle means as above and Shall be girth of 5% of trees will vary upto 3m. 1.3 Secondary growth jungle means All growth of dense vegetation consisting shrubs, thorny bushes, undergrowth. (Note shall be mentioned		
	under the relevent item.)		
1.1	Light jungle clearing along channel trace Including removing outside reservation and burning .	Ac.	79,002.0
1.2	Medium jungle clearing along channel trace Including removing outside reservation and burning .	Ac.	118,503.0
1.3	Secondary growth jungle clearing along channel trace, including removing out side reservation and burning .	Ac.	39,501.0
02	EARTH WORK		
2.1	Manual earth Excavation and spoil to waste or fill material, cutting and lift 0'-5', spreading 100' along the bund.	Cu.	4,151.0
2.2	Manual earth excavation in canals and forming canal bunds cutting and lift 0'- 5', spreading 100'.	Cu.	4,669.0
2.3	· · · · · ·	Cu.	5,188.0
2.4	Manual earth excavation from borrow and forming bunds , cutting and lift 0' - 5', spreading 100' .	Cu.	6,226.0
2.5	Manual earth excavation for foundation, spoil to waste or back filling and ram and surplus disposed within the site as directed, cutting up to 5' and lift 0' - 5', spreading 100'.	Cu.	5,707.0
2.6	Manual earth excavation, additional to cut and lift over 5' up to 10', spreading 100' along the bund.	Cu.	3,599.0
2.7	Manual earth excavation, additional to cut and lift over 10' up to 15', spreading 100' along the bund.		
2.8	Manual gravel excavation and spoil to waste or fill material, cutting	Cu.	3,903.0
2.0	and lift 0' - 5', spreading 100'.	Cu.	6,871.0
2.9	Manual soft rock excavation and spoil to waste or fill material, cutting and lift 0' - 5', spreading 100'.	Cu.	
	Note: - Approved earth shall filling materials that earth shall be free of vegetation, decomposed materials, roots, querry earth with various sizes rubbles, boulders, industrial waste, chemicals, plastic etc. (Note shall be mentioned under the relevent item.)	Cu.	10,610.0
2.10	Approved hard Earth spreading, levelling watering and manual compaction, using standered cast iron stamper or equivalent and filling in 6" thick layers (loose volume) in earth available at site.		
		Cu.	3,523.

Page 1 of 8 Rev.No.00 DOI: 2019-05-22

CSWP/ENG-ADM/DO/03 Chief Secretariat - Western Province

ef Secre	tariat - Western Province	CSW	P/ENG-ADM/D
2.11	Approved earth supplying within 10 Km from the source and piled at site (measured at piled volume)	Cu.	4,967.00
2.12	Spreading & Levelling using machine and Compaction of earth using Vibrating roller (1/2-1 ton) or equivalent including watering in 9" thick layers (measured on piled volume). Rate include hire charges		
	of machine & Vibrating roller. (earth available at site).	Cu.	1,050.00
2.13	Manually spreading and levelling piled approved earth available at site rate without compaction.	Cu.	460.00
	Note :-Additional for haul shall be maximum 300'	cu.	400.00
2.14	Manual haul earth/Gravel/soft rock, haul 100'in each step to max.of		
	300'	Cu.	1,279.00
2.14.1	Manual haul earth/Gravel/soft rock,haul 200'in each step to max.of 300'	Cu.	2,558.00
2.14.2	Manual haul earth/Gravel/soft rock,haul 300'in each step to max.of		·
	300'	Cu.	3,837.00
2.15.1	Manual Stripping top soil up to 3" depth, haul up to 100'.	Sqr.	1,558.00
2.15.2	Stripping top soil by machinery up to 3" depth, and spoil to waste.	- 4.	
		Sqr.	103.00
2.16	Manual Scraping top vegetation , haul up to 100'.	Sqr.	233.00
2.17	Manual Forming puddle core wall, including compacting (Maudling)	54	233.00
	of puddle and solid mass including cutting clay. excluding transport.		
		Cu.	13954.00
2.18	Manual Placing and compacting earth in canal/ backfill including		
2.40	watering , including picking roots & spreading.	Cu.	1,386.00
2.19	Furnishing, Planting and Watering turf (Full turfing), excluding haul.	Can	2 260 00
2 20	Furnishing, Planting and Watering turf (Strip turfing), excluding haul.	Sqr.	2,369.00
2.20	Turning in a reacting turn (other turning), excitating main	Sqr.	1,185.00
2.21	Placing and Packing 6" - 9" / 9" - 12" rubble in slope of embankment,	,	
	excluding haul but including rubble within 20 Km. by T-T/ Lorry.		
		Cu.	7,922.00
2.22	Placing and packing 9"-12" /12"-18" rubble in slope of embankment, excluding haul but including rubble within 20 Km. by T-T/ Lorry.		
	excluding fladi but including fubble within 20 km. by 1-1/ corry.	Cu.	7736.00
2.23	9" Thick rubble pitching in 1:5 cement & sand mr. with 6"-9" rubble		
	and lift 5'-0", haul 100'. (This rate shall be applicable for transport of		
	cement, sand & rubble within 20 Km. by T-T/ Lorry)	Sqr.	25,222.00
3A	CANAL CLEARING AND DESILTING		
3A.1	Desilting in canals, spoil to waste or fill material cut up to 6" depth,		
	Spreading/ haul up to 100'. (Manual)	Sqr.	1,315.00
3A.2	Removal of water-hycinths and deposit as directed. (Manual)		
24.2	Howating should imple to construct /	Sqr.	470.00
3A.3	Uprooting shrub jungle in canals and / or canal reservations including removing out side reservation and burning , height 2' - 3'		
	(Manual)	Sqr.	681.00
3A.4	Uprooting shrub jungle in canals and / or canal reservations		
	including removing out side reservation and burning , height over 3'	Sqr.	1,174.00
	(Manual)	٠٩٠٠	1,1,7.00

Page 2 of 8 Rev.No.00 DOI: 2019-05-22

	t - Western Province	CSWP	<u>/ENG-ADM/D</u>
3B <u>EA</u>	RTH EXCAVATION IN CANAL BY MACHINERY.		
	:-When using item 3B.1,3B.2,3B.3,3B.4,3B.5,3B.6, the above item .3A.2,3A.3 & 3A.4 should not included in BOQ.		
the position that the position is the position of the position	h excavation in canals/channels using machinery according to given levels and side slopes and spreading excavated soil on ds as directed. Unserviceable excavated earth should not be osited on bunds. Fill material cut up to 5 ft. lift up to 5 reading 100 ft.	Cu.	369.00
the position of the position o	h excavation in canals/channels using machinery according to given levels and side slopes and spreading excavated soil on ds as directed. Unserviciable excavted earth should not be positted on bunds. Fill material cut 5' - 10'. lift up to 10ft.spreading ft. Machine transport will be paid seperately.		
		Cu.	378.00
the position of the position o	h excavation in canals/channels using machinery according to given levels and side slopes and spreading excavated soil on ds as directed. Unserviciable excavted earth should not be ositted on bunds. Fill material cut 10' - 15'. lift up to aspreading 100 ft.	Cu.	386.00
	h excavation in canals/channels using machinery according to	Cu.	380.00
the g	given levels and side slopes and spreading excavated soil on ds as directed. Unserviciable excavted earth should not be osited on bunds. Fill material cut 15' - 20'. lift up to 15ft.spreading		
100		Cu.	395.00
and exca	h excavation in canals/channels and side slopes using machinery spreading excavated soil on bunds as directed. Unserviceable vated earth should not be deposited on bunds. Cutting depth 1'-nd spreading 100'. Machine transport will be paid seperately.	Sqr.	369.00
back dire	h excavation in canals or channels and side slopes Using thoe with barge and spreading excavated soil on bunds as cted. Unserviceable excavated earth should not be deposited on ds. Cutting depth 1'-0" and spreading 100'.Machine transport will		
be p	aid seperately.	Sqr.	553.00
04 REI	NFORCEMENT		
_	steel reinforcement cutting , bending to shape laid in position		
	tied with 16 B.W.G. binding wire.	Kg.	277.00
	steel reinforcement cutting , bending to shape laid in position tied with 16 B.W.G. binding wire.	Kg	277.00
rour inclu prio	olying and fixing 16 mm dia, 0.75m. M/S dowel bending half and shape at one end and fixing the other end to the rock, ading 0.3 m. boring holes with washing & cleaning immediately or to fill grout and filling cement grout. (The bore hole size shall be ween 1.25 to 1.5 times the diameter of the dowel bar.)		277.30
betv	veen 1.23 to 1.3 times the diameter of the dower par.)	Lft.	787.00

Page 3 of 8 DOI: 2019-05-22 Rev.No.00

05	tariat - Western Province		<u>/P/ENG-ADM/</u>
	FORM WORK		
5.1	Furnishing, making, fixing and removing formwork for sides of foundation using 3/4" thick rubber planks, excluding transport (for 2	Sqr.	4,722.0
5.2	users). Furnishing and making formwork using 3/4" thick timber shuttering	341.	4,722.0
5.2	planks for each of two uses including fixing and removing same once,	Sqr.	7,302.
5.3	excluding transport. Furnishing and making formwork using 3/4" thick timber shuttering	341.	7,302.
3.3	planks for one use including fixing and removing , excluding transport.	Sqr.	11,701.
5.4	Furnishing and making formwork using 15 mm thick plywood for	5411	11,701.
5	each of 2 uses including fixing and removing, excluding transport.	Sqr.	14,622.
5.5	Timbering in foundation using 1 1/2" thick timber planks, including	3qr.	14,022.
3.3	necessary struts and props, Excluding transport (Close type) for 2 uses.	Sqr.	12 070
06	CONCRETE	341.	13,979.
	1:3:6 (1 1/2") Concrete excluding formwork, excluding lift over 5' and	+	
5.1	excluding haul, including placing, compacting and curing. (The rate		
	shall be applicable for transport of cement, sand & metal by T-		
	T/Lorry)	Cu.	<i>///</i> 002
6.2	1:3:6 (1") Concrete excluding formwork, excluding lift over 5' and	cu.	44,983.
0.2	excluding haul, placing, compacting and curing. (The rate shall be		
	applicable for transport of cement, sand & metal by T-T/Lorry)		
		Cu.	46,486.
6.3	1:2:4 (3/4") Concrete excluding formwork, excluding lift over 5' and	-	,
	excluding haul, placing, compacting and curing. (The rate shall be		
	applicable for transport of cement, sand & metal by T-T/Lorry)		
		Cu.	52,220.
6.4	1:1.5:3 (3/4") Concrete excluding formwork, excluding lift over 5' and		,
	excluding haul. (The rate shall be applicable for transport of cement,		
	sand & metal by T-T/Lorry).	Cu.	55,375.
6.5	Additional lift of concrete over 5' up to 10'	Cu.	3,108.
	Note :-Additional for haul shall be maximum 300'		0,200.
6.6.1	Additional for haul of materiel for concrete in each step of 100'.		
5.5.1	- The state of the	Cu.	3,015.
6.6.2	Additional for haul of materiel for concrete in each step of 200'.	Cu.	6,030.
6.6.3	Additional for haul of materiel for concrete in each step of 300'.	-	-,
	· ·	Cu.	9,324.
07	RANDOM RUBBLE WORK		
7.1	6"-9" Random rubble masonry in 1:5 ct. mt. ,(This rate shall be		
	applicable for transport of cement, sand,& rubble T-T/Lorry)		
		Cu.	42,403.
	Note :-Additional for haul shall be maximum 300'		
7.2.1	Additional for haul of materiel for rubble masonry in each step of		
	100'.	Cu.	3,365.
7.2.2	Additional for haul of materiel for rubble masonry in each step of		
	200'.	Cu.	6,730.
7.2.3	Additional for haul of materiel for rubble masonry in each step of		
	300'.	Cu.	10,095.
7.3	6"-9" Random Rubble masonry in 1:5 ct.mr. lift 0' - 5' , rubble		
	available at site .	Cu.	34,603.

Page 4 of 8 Rev.No.00 DOI: 2019-05-22

Chief Secretariat - Western Province CSWP/ENG-ADM/DO/03 7.4 6"-9" Random rubble pitch paving along bund ,(This rate shall be Sqr. 6,692.00 applicable for transport of rubble T-T/Lorry) 7.5 6"-9" Random rubble pitch paving along bund , rubble available at Sqr. 3,572.00 80 **PLASTERING** 8.1 1/2" thick semi rough cement plastering 1:3 cement, sand mixture, (transport of cement and sand T-T/Lorry). Sqr. 7,584.00 8.2 3/4" thick semi rough cement plastering 1:3 cement, sand mixture, Sqr. 9,507.00 (transport of cement and sand T-T/Lorry). 9A RCC HUME PIPES IN STRUCTURES (without Collars) Note :-According to the site condition collar rate should be added seperately 9A .1 Furnish, lay and joint 6" RCC Hume pipes, including trenching & Lft. backfill, excluding transport 933.00 9A.2 Furnish, lay and joint 9" RCC Hume pipes, including trenching & backfill, excluding transport. Lft. 1,101.00 9A.3 Furnish, lay and joint 12" RCC Hume pipes, including trenching & backfill, excluding transport. Lft. 1,442.00 9A.4 Furnish, lay and joint 15" RCC Hume pipes, including trenching & backfill, excluding transport. Lft. 1,664.00 9A.5 Furnish, lay and joint 18" RCC Hume pipes, including trenching & backfill, excluding transport. Lft. 1,851.00 9A.6 Furnish, lay and joint 24" RCC Hume pipes, including trenching & backfill, excluding transport. Lft. 2,504.00 9A.7 Furnish, lay and joint 30" RCC Hume pipes, including trenching & Lft. 3,811.00 backfill, excluding transport . 9A.8 Furnish, lay and joint 36" RCC Hume pipes, including trenching & Lft. 4,315.00 backfill, excluding transport. 9A.9 Furnish, lay and joint 42" RCC Hume pipes, including trenching & backfill, excluding transport. Lft. 6,075.00 9A.10 Furnish, lay and joint 48" RCC Hume pipes, including trenching & backfill, excluding transport. Lft. 7,535.00 9B **Supplying R.C.C. Hume Pipe Collars** Note :-Putting concrete pad under collar rate shall be added seperately. 9B.1 Supplying & fixing 6" dia R.C.C. Hume pipe collars excluding transport Including wiith filling 1:3 cement sand motar between pipe and collar. Nr. 880.00 9B.2 Supplying & fixing 9" dia R.C.C. Hume pipe collars excluding transport Including wiith filling 1:3 cement sand motar between pipe and collar. Nr. 931.00 9B.3 Supplying & fixing 12" dia R.C.C. Hume pipe collars excluding transport .Including wiith filling 1:3 cement sand motar between pipe and collar. Nr. 1,039.00 9B.4 Supplying & fixing 15" dia R.C.C. Hume pipe collars excluding transport .Including wiith filling 1:3 cement sand motar between pipe and collar. Nr. 1,091.00 9B.5 Supplying & fixing 18" dia R.C.C. Hume pipe collars excluding transport .Including wiith filling 1:3 cement sand motar between pipe Nr. 1,199.00 9B.6 Supplying & fixing 24" dia R.C.C. Hume pipe collars excluding transport .Including wiith filling 1:3 cement sand motar between pipe and collar. Nr.

Rev.No.00 DOI: 2019-05-22 Page 5 of 8

1,307.00

Chief Secretariat - Western Province
9B.7 Supplying & fixing 30" dia R.C.C. Hume pipe collars excluding CSWP/ENG-ADM/DO/03 transport .Including wiith filling 1:3 cement sand motar between pipe Nr. 1,631.00 9B.8 Supplying & fixing 36" dia R.C.C. Hume pipe collars excluding transport .Including wiith filling 1:3 cement sand motar between pipe Nr. 1,790.00 9B.9 Supplying & fixing 42" dia R.C.C. Hume pipe collars excluding transport .Including wiith filling 1:3 cement sand motar between pipe Nr. 2,218.00 9B.10 Supplying & fixing 48" dia R.C.C. Hume pipe collars excluding transport .Including wiith filling 1:3 cement sand motar between pipe and collar. Nr. 3,180.00 10 **STOP PLANKS** 10.1 Supplying & fixing 6" x 3" stop planks in specified class timber (Kumbuk) including applying two coats of hot tar and fixing 2 Nrs. of M/S hooks made by 3/8" dia. M/S bars with applying two coats of anticorrosive paint for the surfaces of hooks, excluding transport. Cu.ft. 12,826.00 10.2 Supplying & fixing 6" x 3" stop planks in specified class timber Naa, or Mee) including applying two coats of hot tar and fixing 2 Nrs. of M/S hooks made by 3/8" dia. M/S bars with applying two coats of anticorrosive paint for the surfaces of hooks, excluding transport. Cu.ft. 9,286.00 10.3 Applying two coats of hot tar and fixing 2nos.of M/S hooks made by 3/8"M.S. bars with painting two coats of anticorrosive paint removing rust for the timber planks (6"x3") provided by the department Cu.ft. 3,106.00 excluding transport. **MISCELLANEOUS** 11 11.1 Furnishing **2" brass padlock** and handing over. Nr. 678.00 11.2 Furnishing, bending and fixing 50 x 5 mm. flat iron and 10 mm. dia. M/S hooks or using flat iron hooks as a locking arrangement for anicut planks including removing rust and applying two coats of anticorrosive. Lft. 333.00 11.3 Furnishing 1" dia. 3' long steel chain as a locking arrangement for the Nr. 1,080.00 operating wheel. 11.4 Pumping water using 2" dia. Water pump, (Wet basis with operator.) Per day 3,360.00 11.5 Coffer damming using large size polysack bags including placing and removing. Nr. 331.00 11.6 Providing wheep holes using 4" dia. PVC pipes (Type 250) (the distance shall not less than 8'-0" in a row and use as Zig-Zag method.) Lft. 297.00 11.7 Hire charges for T-T (Wet Lease basis including operator). per day 7,200.00 11.8 Making temporary shed (size 10' x10') during construction/ repairing period & removing. Nr. 6,120.00 Transport cost for haul earth / sand / gravel by T-T 12 including loading 12.1 Up to 1 Km. Per Cu. 828.00 12.2 Up to 2 Km. Per Cu. 954.00 12.3 Up to 3 Km. 1,080.00 Per Cu. 12.4 Up to 4 Km. Per Cu. 1,206.00 12.5 Up to 5 Km. Per Cu. 1,332.00

Chief Secretariat - Western Province CSWP/ENG-ADM/DO/03 12.6 Up to 6 Km. Per Cu. 1,458.00 12.7 Up to 8 Km. Per Cu. 1,710.00 12.8 Up to 10 Km. Per Cu. 1,962.00 12.9 Up to 15.00 Km. Per Cu. 2,592.00 13 Making & Fixing Name board 13.1 Providing a Digital printing Name Board size (4'-0" x 3'-0") for the project, the board shall 3/4"x3/4" box iron 1.2 mm thick frame and 1/2"x1/2" aluminium L - bar around the frame fixed with pop riverts with digital print stiker. Supplying 1 1/4" dia.G.I. pipe 3.2 mm.thick 3m. in length and fixing one end to the board with 03 nrs. of 1/4" dia. 2 1/2" long nut & bolts and other end concreting circular at the bottom to the ground as per detail plan including painting steel frame work and G.I. pipe with two coats of anticorrosive paint. (inclusive transport.) Nr. 7,518.00 14 Making, Supplying & Fixing Steel gate 14.1 Making lifting steel gate using 75 x 75 x 6 mm angle iron & 5 mm. thick MS plate with 10 mm.thick MS bracket as given detail plan No 1. of the steel gate and fixing to the anicut as directed.((This rate for only four nr.75 x 75 x 6 mm.angle iron for both ways as detail plan No 1 and not inclusive other necessary items.)including removing rust and applying two coats of anticorrosive paint. Excluding transport. Sqft. 2,859.00 14.2 Making lifting steel gate using 65 x 65 x 6 mm angle iron & 5 mm. thick MS plate with 10 mm.thick MS bracket as given detail plan No 2. of the steel gate and fixing to the anicut as directed. (This rate for only four nr.65 x 65 x 6 mm. angle iron for both ways as detail plan No 2 and not inclusive other necessary items.) including removing rust and applying two coats of anticorrosive paint and greesing to threading part of rod & bush .Excluding transport. 2,782.00 Sqft. 15 **Demolishing & Clearing** 15.1 Demolishing reinforced cement concrete removing reinforcement and Clearing or stacking. Cu. 18,719.00 15.2 Demolishing cement concrete and Clearing or stacking. 14,022.00 Cu. 15.3 Demolishing rubble masonry in cement and sand, stacking rubble and Clearing debries away. Cu. 5,837.00 15.4 Chipping cement plaster and Clearing debries away. 1,744.00 Sqr. 16 **SURVEYING** 16.1 Medium jungle clearing for surveying work, 4 ft .wide. Mile 17,222.00 16.2 **Light jungle clearing** for surveying work, 4 ft .wide. Mile 12,055.00 16.3 **Chaining** inclusive of cutting jungle pegs and pegging. Mile 3229.00 16.4 Levelling every 100ft. Establishing bench marks on rock or tree and checking back. Mile 6458.00 16.5 Surveying including fixing angle pickets and taking angles. Mile 6458.00 Mile 8611.00 16.6 Chaining traverse line and taking off sets. 16.7 Detail site surveys - breaches, spill site etc., including spot levels, chaining, pegging and establishing bench mark (400' x 400') 21,527.00 Nr. Issue No.01

Chief Secretariat - Western Province

CSWP/ENG-ADM/DO/03

16.8 Detail site surveys - breaches, spill site etc., including spot levels, chaining, pegging and establishing bench mark (200' x 200 ')

Nr. 5,382.00

16.9 Detail site surveys - breaches, spill site etc., including spot levels, chaining, pegging and establishing bench mark (100' x 100')

Nr. 1,345.00

Rev.No.00 DOI: 2019-05-22