



" විශිෂ්ට රාජ්‍ය සේවාවක් සඳහා ඇප කැපවෙමු "


**ප්‍රධාන ලේකම් කාර්යාලය - බස්නාහිර පළාත**  
**பிரதான செயலாளர் அலுவலகம் - மேல் மாகாணம்**  
**OFFICE OF THE CHIEF SECRETARY - WESTERN PROVINCE**



ISO/IEC: 17021  
QMS-001-01

204, ඩෙන්සිල් කොබ්බෑකඩුව මාවත, බත්තරමුල්ල.  
 204, டென்சில் கொப்பேகடுவ மாவத்தை, பத்தரமுல்ல.  
 204, Denzil Kobbekaduwa Mawatha, Battaramulla.

ප්‍රධාන ලේකම් } දුරකථන / தொலைபேசி / Telephone - 011 - 2092599  
 பிரதான செயலாளர் } மனக்கீழ் / பெக்ஸ் / Fax - 011 - 2092501  
 Chief Secretary } இ-மேயில் / மின்னஞ்சல் / E-mail - chiefsecretary@wpc.gov.lk } பொது தொலைபேசி } 011 - 2093000  
 } General Telephone }



මගේ අංශය } CSWP/ENG-CON/5-2/FI/1 } ඔබේ අංකය } } දිනය } }  
 எனது இலக்கம் } } உமது இலக்கம் } } திகதி } }  
 My No. } } Your No. } } Date }

පළාත් ගොඩනැගිලි අධ්‍යක්ෂ/ පළාත් වාරිමාර්ග අධ්‍යක්ෂ,  
 සහපති, පළාත් බදු මාර්ග සංවර්ධන අධිකාරිය(බ.ප.),  
 පළාත් පාලන කොමසාරිස් සහ සියලුම පළාත් පාලන ආයතන ලේකම්වරුන්,  
 බස්නාහිර පළාතේ සියලුම ප්‍රාදේශීය ලේකම්වරුන්,  
 සියලුම ප්‍රාදේශීය ඉංජිනේරුවරුන්,

**සුළු වාරිමාර්ග ගාස්තු උපලේඛණය 2020/2021**

2020.09.01 දින සිට නැවත දැනුම් දෙන තුරු ඉදිකිරීම් ඇස්තමේන්තු පිළියෙල කර ගැනීමට උපයෝගී කරගත යුතු සුළු වාරිමාර්ග ගාස්තු උපලේඛනයේ පිටපතක් මේ සමඟ එවමි.

02. මෙම රේට් මිල ගණන් පිළියෙල කිරීමේදී එකතු කළ අගය මත බදු ( VAT ), රේට් මිල ගණන් වලට අඩංගු කර නැත. ඇස්තමේන්තු පිළියෙල කිරීමේදී එකතු කළ අගය මත බදු , ප්‍රමාණ බිල්පතේ මුළු එකතුවට අමතර මුදලක් වශයෙන් එකතු කළ යුතුය.

03. ලේඛනයේ සඳහන් රේට් මිල ගණන් සකසා ඇත්තේ බස්නාහිර පළාතේ දිස්ත්‍රික් තුනම ආවරණය වන පරිදි හා විවෘත වෙළඳපලේ පවතින මූලික ද්‍රව්‍ය මිල ගණන් වල සාමාන්‍ය අගයන් පදනම් කර ගැනීමෙනි. කෙසේ වුවද, මෙහි සඳහන් ද්‍රව්‍ය වල මිල හා ඔබගේ බල ප්‍රදේශය තුළ පවතින මිල ගණන් අතර සැලකිය යුතු වෙනස්කම් තිබේනම්, ඒ පිලිබඳව මා වෙත දැන්වීමට පියවර ගන්න. එවැනි විශේෂ අවස්ථාවකදී යම් බල ප්‍රදේශයකට පමණක් සීමාවන පරිදි මිල ගණන් සංශෝධනය කිරීමට පියවර ගත හැක.

04. ඇස්තමේන්තු පිළියෙල කිරීමේදී භාවිතා කිරීම සඳහා මෙම ලේඛනයේ පිටපත් අදාළ කාර්මික නිලධාරීන් වෙත කරුණාකර නිකුත් කරන්න.

05. මෙම රේට් මිල ගණන් පිළියෙල කර ඇත්තේ සුළු වාරිමාර්ගද්‍රව්‍ය වල ගුණාත්මක බව (material quality) සහ ඉදිකිරීම් නිමාව (Workmanship) ශ්‍රී ලංකා (SLS) ,ක්‍රීතාන්‍ය (BS) සහ (A.S.T.M) ප්‍රමිතීන්ට අනුකූලව සහ ICTAD පිරිවිතර SCA/3/1,SCA/3/2,SCA/3/3, SCA/4(VOL-I),SCA/4(VOL- II),SCA/5,SCA/8

විකේතන ප්‍රධාන ලේකම් பிரதான செயலாளர் Deputy Chief Secretary	පාලන Administration	පිරිස් හා පුහුණු Personnel & Training	මුදල් Finance	සැලසුම් Planning	ඉංජිනේරු Engineering	ප්‍රධාන අභ්‍යන්තර විභාජක Chief Internal Auditor	
	Tel : 0112092606 Fax : 0112092609 dca@admin@cs.wpc.gov.lk	Tel : 0112092633 Fax : 0112092647 dsrpt@cs.wpc.gov.lk	Tel : 0112092640 Fax : 0112092636 dcs@finance@cs.wpc.gov.lk	Tel : 0112092532 Fax : 0112092533 dsplan@cs.wpc.gov.lk	Tel : 0112092501 Fax : 0112092505 dcs@eng.wpc.gov.lk	Tel : 0112092628 Fax : 0112092625 cia@cs.wpc.gov.lk	

යන ප්‍රකාශනවල සඳහන් ගුණාංගයන් සපුරාලන බව උපකල්පනය කරමිනි. ඒ අනුව මෙම මිල ගණන් උපයෝගී කර ගැනීමේදී ඉහත ප්‍රකාශනවල අඩංගු ප්‍රමිතීන්ට අනුකූලව ඉදිකිරීම් සිදුවිය යුතු බව අවධාරණය කරනු කැමැත්තෙමි.



ඒ.ඒ.පී.එස්.කේ.කරුණාරත්න,


නියෝජ්‍ය ප්‍රධාන ලේකම් (ඉංජිනේරු),

බස්නාහිර පළාත.

පිටපත්:

- |  |             |
|--|-------------|
| 1. ප්‍රධාන ලේකම් (බ.ප.)                        | : කරු.දැ.ස. |
| 2. බස්නාහිර පළාතේ සියලුම අමාත්‍යාංශ ලේකම්වරුන් | : කරු.දැ.ස. |
| 3. අධ්‍යක්ෂ (අභ්‍යන්තර විගණන)                  | : කරු.දැ.ස. |
| 4. විගණන අධිකාරී                               | : කරු.දැ.ස. |
| 5. ප්‍රධාන ලේකම් (බ.ප.)                        | : කරු.දැ.ස. |
| 6. බස්නාහිර පළාතේ සියලුම අමාත්‍යාංශ ලේකම්වරුන් | : කරු.දැ.ස. |
| 7. අධ්‍යක්ෂ (අභ්‍යන්තර විගණන)                  | : කරු.දැ.ස. |
| 8. විගණන අධිකාරී                               | : කරු.දැ.ස. |

# IRRIGATION SCHEDULE OF RATES - 2020



**ALL RATES ARE COMMON TO  
COLOMBO, GAMPAHA & KALUTARA  
DISTRICTS**

(Rates effective from 01.09.2020 until further notice.)

**PROVINCIAL  
IRRIGATION  
DEPARTMENT**

**WESTERN - PROVINCE**

## IRRIGATION SCHEDULE OF RATES 2020/2021

### General Notes

- 1 This Irrigation Schedule of Rates (ISR) has effected date from 2020.09.01 until further notice, and this rates are intended to be adopted in pricing an Engineering estimate for the rehabilitation, repairing, improvement or construction of irrigation projects of western province.
- 2 This ISR has been prepared based on work normally adopted for Irrigation works with eight hour labour input. Over head and profit components are included 20% . Provision should be made separately in the estimate and should allow for maximum up to 10% of the BOQ total as contingencies.
- 3 Any material not conforming to Sri Lanka Standard Specification and /or workmanship not conforming to the (SCA/3/1) specifications for Irrigation and Land Drainage are to be rejected.
- 4 Unit rates and extension shall be given in Sri Lanka rupees to maximum of two significant places of decimals.
- 5 The item description of the BOQ shall confirm to that in the relevant items as appearing in this schedule, When preparing this BOQ base on these rates so as to avoid any ambiguity.
- 6 The rates given in this ISR valid for works carried out as per specification for Irrigation and Land Drainage issued by ICTAD publication no. SCA/3/1.
- 7 When it is necessary to convert from imperial to metric unit apply conversion factor as follows.

<i>To convert rate per</i>	<i>To rate per</i>	<i>Multiply the present</i>
Cube	m <sup>3</sup>	0.353
Square	m <sup>2</sup>	0.108
Sqft.	m <sup>2</sup>	10.763
Lft.	m	3.280
Cwt.	Kg.	0.019

### 8 Unit Conversions

- convert Lit. to gal. multiply by 0.222
- convert Miles to Km. multiply by 1.609
- convert Kilo to pounds multiply by 2.205
- convert hundred weights to Kg. multiply by 50.802
- convert feet to metres by multiply 0.3048
- convert acres to hectares by multiply 0.4046
- convert square miles to hectares multiply by 258.99

## 9 Useful Data for steel as follows.

## (i) Steel Bars

<i>Dia. mm</i>	<i>Area Sq.mm</i>	<i>Normal weight (Kg/m.)</i>	<i>Minimum bend Radius (mm)</i>
6	28	0.222	-
8	50.3	0.395	-
10	78.5	0.617	28
12	113	0.888	44
16	201	1.580	70
18	254	2.000	70
20	314	2.470	88
22	380	2.980	88
25	491	3.850	140
28	615	4.830	178
32	804	6.310	178
36	1018	7.990	224
40	1257	9.860	224

## (ii) Angle Iron

<i>Size (mm)</i>	<i>Sectional Area Sq.cm</i>	<i>weight (Kg/m.)</i>
25x25x4	1.85	1.45
35x35x5	3.28	2.57
50x50x6	5.69	4.47
65x65x6	7.53	5.91
75x75x6	8.73	6.85

## (iii) Flat Iron

<i>Size (mm)</i>	<i>Thickness (mm)</i>	<i>weight (Kg/m.)</i>
20x5	5	0.98
50x6	6	2.36

10 **Abbreviations**

Abbreviations used in this BOQ denotes the following.

<i>Ft</i>	Feet	<i>c/c</i>	Centre to centre
<i>Lft.</i>	Linear Feet	@	Each
		<i>Gr.</i>	Grade
<i>Ft<sup>2</sup></i>	Square Feet	<i>Approx. -</i>	Approximately
<i>Sqft.</i>	Square Feet	<i>Thk.</i>	Thick
<i>Sqr.</i>	Squares		
		<i>T.S.</i>	Tor steel
<i>Ft<sup>3</sup></i>	Cubic Feet	<i>Y/T</i>	Tor steel
<i>Cuft.</i>	Cubic feet	<i>T</i>	Tor steel
<i>Cu.</i>	Cube	<i>M.S.</i>	Mild steel
		<i>R</i>	Mild steel
<i>m</i>	metre		
<i>Lm.</i>	Linear metre	<i>G.L.</i>	Ground Level

<b><i>m<sup>2</sup></i></b>	Square metre	<b><i>L.day</i></b>	Labour day
<b><i>Sqm.</i></b>	Square metre	<b><i>S.day</i></b>	Semi skill day
		<b><i>Un. day</i></b>	Un skill Labour day
<b><i>m<sup>3</sup></i></b>	Cubic metre		
<b><i>Cm.</i></b>	Cubic metre	<b><i>C.I.</i></b>	Cast Iron
		<b><i>W.I.</i></b>	Wrought Iron
<b><i>mm.</i></b>	milli metre	<b><i>F/W</i></b>	Form work
<b><i>cm.</i></b>	Centi metre	<b><i>R/F</i></b>	Reinforcement
<b><i>Kg.</i></b>	Kilogramme	<b><i>Rs.</i></b>	Rupees (Sri Lankan)
<b><i>h.</i></b>	hour	<b><i>cts.</i></b>	Cents (Sri Lankan)
<b><i>BOQ</i></b>	Bill of Quantities	<b><i>mr.</i></b>	Motar
<b><i>Ele.</i></b>	Elevation	<b><i>ct.mr.</i></b>	Cement motar
<b><i>No.</i></b>	Number (to indicate as item,page)	<b><i>T/T</i></b>	Tractor Tailor
<b><i>Nr.</i></b>	Number (to indicate as quantity)	<b><i>Qty.</i></b>	Quantity
<b><i>RCC</i></b>	Reinforced Cement Concrete	<b><i>L</i></b>	Length
<b><i>G.W.L.</i></b>	Ground water level	<b><i>B</i></b>	Breadth
<b><i>Wk.</i></b>	Week	<b><i>H</i></b>	Height
<b><i>Mon.</i></b>	Month	<b><i>W</i></b>	width
<b><i>dia.</i></b>	Diameter	<b><i>H</i></b>	Height
<b><i>Mon.</i></b>	Month	<b><i>T</i></b>	Top Layer
<b><i>dia.</i></b>	Diameter	<b><i>B</i></b>	Bottom Layer

End.

<b>PRICE LIST FOR ISR - 2020/2021</b>			
<b>ITEM NO.</b>	<b>DESCRIPTION</b>	<b>UNIT</b>	<b>PRICE (excluding VAT)</b>
	<b><u>MASONRY</u></b>		
1	Cement - 50kg bags of "INSEE Sanstha", "INSEE Mahaweli Marine", "Ambuja", "L & T", "Nippon", "Ultra Tech" & "Singhe" etc.,(O.P.C. complying to S.L.S.107) (including around 16km transport with loading & unloading )	Nr.	955.00
2	Rubble 6" x 9" (including around 16 km transport with loading & unloading )	Cube	6100.00
3	River Sand (including around 16 km transport with loading & unloading )	Cube	14,600.00
4	Chips 1/2" (including around 16 km transport with loading & unloading )	Cube	8140.00
5	Metal 3/4" (including around 16 km transport with loading & unloading )	Cube	8400.00
6	Metal 1" (including around 16 km transport with loading & unloading )	Cube	7800.00
7	Metal 1 1/2" (including around 16 km transport with loading & unloading )	Cube	7400.00
8	Quarry Dust (including around 20 km transport with loading & unloading )	Cube	7800.00
9	Aggregate Base Course (ABC)- graded 37.5 mm. (excluding transport)	Cube	5,570.00
10	Drinking Water	1Lt.	0.17
	<b><u>STEEL</u></b>		
11	Tor steel -SLS 375 (including transport)	kg.	148.00
12	Mild steel -SLS 375 (including transport)	kg.	148.00
13	Binding wire-18G	kg.	161.00
14	25 x 25 x 5mm Angle iron (5.8mm)	L.ft	79.00
15	38 x 38 x 5mm Angle iron (5.8mm)	L.ft	132.00
16	50 x 50 x 6mm Angle iron (5.8mm)	L.ft	191.00
17	63 x 63 x 6mm Angle iron (5.8mm)	L.ft	244.00
18	75 x 75 x 6mm Angle iron (5.8mm)	L.ft	303.00
19	100 x 50 x 6mm Channel iron (5.8mm)	L.ft	465.00
20	125 x 65 x 6mm Channel iron (5.8mm)	L.ft	605.00
21	150 x 75 x 6mm Channel iron (6mm)	L.ft	732.00
22	Steel Wire nails 1" (guage16 & length 20mm)	kg.	145.50
23	Steel Wire nails 1 1/2" (guage16 & length 40mm)	kg.	145.50
24	Steel Wire nails 2" & 2 1/2 (guage10 & length 50 & 65mm)	kg.	143.30
25	Steel Wire nails 3" & 3 1/2 "(guage 8 & length 75 & 90mm)	kg.	141.00
26	Steel Wire nails 4",4 1/2",5"&6" (gauge 5& length100,115,125,150mm)	kg.	141.00
27	12mm dia. M.S bars	L.ft	38.00
28	5mm thick M.S.Plate (8' X 4')	Sqft	507.00

29	10mm thick M.S. Plate (8' X 4')	Sqft	1,013.00
30	12mm thick M.S. Plate (8' X 4')	Sqft	1,302.00
31	1" dia. Steel chain	L.ft	325.00
32	2" x 1/4" Flat iron	L.ft	90.00
33	20 x 6mm Flat iron (5.8m)	L.ft	37.00
34	GI Pipe - 1"dia. x 2mm. thk.	L.ft	107.00
35	GI Pipe - 2"dia. 1.6mm. thk.	L.ft	114.00
36	GI Pipe - 3" dia. x 2.9mm thick	L.ft.	420.00
37	G.I. Pipe - 1"dia x 4 mm.thk.	L.ft	197.00
38	G.I. Pipe - 1 1/2"dia x 2.3mm. thk.	L.ft	180.00
39	G.I. Pipe - 2"dia x 2.3 mm.thk.	L.ft	237.00
40	G.I. Pipe - 2 1/2"dia x 2.5mm.thk.	L.ft	324.00
41	G.I. Pipe - 3 "dia.x 2.9mm .thk.	L.ft	420.00
42	Pop rivet	Nr.	2.50
43	1/4" dia. 2 1/2" long nut & bolt	Nr.	32.00
44	20 x 20mm x 1.6mm. thk. (3/4" x 3/4") Hollow Section	L.ft	47.00
	<b><u>HUME PIPE (R.C.C)</u></b>		
45	04" Dia. X 8'-0"	Nr.	3480.00
46	06" Dia. X 8'-0"	Nr.	3840.00
46.1	06" Dia. X 4'-0"	Nr.	2130.00
47	09" Dia. X 8'-0"	Nr.	4470.00
47.1	09" Dia. X 4'-0"	Nr.	2445.00
48	12" Dia. X 8'-0"	Nr.	5640.00
48.1	12" Dia. X 4'-0"	Nr.	3030.00
49	15" Dia. X 8'-0"	Nr.	5910.00
49.1	15" Dia. X 4'-0"	Nr.	3210.00
50	18" Dia. X 8'-0"	Nr.	6630.00
50.1	18" Dia. X 4'-0"	Nr.	3570.00
51	24" Dia. X 8'-0"	Nr.	10050.00
51.1	24" Dia. X 4'-0"	Nr.	5280.00
52	30" Dia. X 8'-0"	Nr.	14460.00
52.1	30" Dia. X 4'-0"	Nr.	7530.00
53	36" Dia. X 8'-0"	Nr.	19140.00
53.1	36" Dia. X 4'-0"	Nr.	13020.00
54	42" Dia. X 8'-0"	Nr.	25440.00
54.1	42" Dia. X 4'-0"	Nr.	13020.00
55	48" Dia. X 8'-0"	Nr.	33000.00
55.1	48" Dia. X 4'-0"	Nr.	17700.00
	<b><u>HUME PIPE COLLARS (R.C.C)</u></b>		
56	06" Dia.	Nr.	690.00
57	09" Dia.	Nr.	690.00
58	12" Dia.	Nr.	780.00
59	15" Dia.	Nr.	780.00
60	18" Dia.	Nr.	870.00
61	24" Dia.	Nr.	960.00

62	30" Dia.	Nr.	1230.00
63	36" Dia.	Nr.	1320.00
64	42" Dia.	Nr.	1590.00
65	48" Dia.	Nr.	2220.00
	<b><u>Timber</u></b>		
66	Specified timber "Kumbuk"	Cuft	8134.50
67	Specified timber " Naa, Mee"	Cuft	6920.00
68	Plywood ordinary 12mm thick (8'x4')	Sqft	52.00
69	Plywood ordinary 15mm thick (8'x4')	Sqft	63.00
70	Rubber planks - 3/4" thick	Sqft	32.00
71	Rubber planks - 1" thick	Sqft	35.00
72	Rubber planks - 1 1/2" thick	Sqft	50.00
73	Timber 2" x 1" Class II - for shuttering	L.ft	18.00
74	Timber 2" x 2" Class II - for shuttering	L.ft	40.00
75	Timber 4" x 2" Class II - for shuttering	L.ft	90.00
	<b><u>MISCELLANEOUS</u></b>		
76	Bitumen	1Lt.	86.00
77	Brass padlock (2")	Nr.	720.00
78	PVC Pipe 4" dia. (type 250)	L.ft	121.00
79	Polysack Bags (filling 65kg capacity) with transport	Nr.	35.00
80	Anticorrosive paint	1Lt.	808.00
81	Enamel paint	1Lt.	1,111.00
82	Wood preservative	1Lt.	311.00
83	Turf	Sqft	7.00
84	Digital print	Sqft	85.00
85	Paint Brush 1" -Jat	Nr.	218.00
86	Paint Brush 1 1/2" -Jat	Nr.	264.00
87	Paint Brush 2" -Jat	Nr.	440.00
88	Paint Brush 3" -Jat	Nr.	505.00
89	Paint Brush 4" -Jat	Nr.	787.00
90	Paint Brush 6" -Jat	Nr.	1019.00
91	Sand paper	Nr.	46.00
92	Grease	Kg.	800.00
	<b><u>PLANT</u></b>		
93	Water pump (with necessary items)	Per Day	2800.00
94	Tractor & Tailor	Per Day	6000.00
95	Hydraulic Backhoe excavator (1Cu.yd) (output 102.2Cubes/ 8 hours)	Per Hour	3500.00
96	Hydraulic Backhoe excavator (1Cu.yd) (output 102.2Cubes/ 8 hours) with barge PC 100-PC 40	Per Hour	5000.00
97	Concrete mixer with operator & fuel /(8 hour day)	Per Day	6000.00
97.1	Vibrator / (8 hour day)	Per Day	3500.00
98	Welding Plant / (8 hour day)	Per Day	1000.00
99	Vibrating roller (1/2-1 ton)	Per Day	6903.00
	<b><u>VEHICLE TRANSPORT</u></b>		
100	Low bed tailor (first 15km)	Each	11000.00
101	Additional 1km	Each	260.00

	<b><u>LABOUR</u></b>		
102	Skill Labour - (Carpenter, mason, barbender etc.)/ 8 hours	Per Day	2,400.00
103	Semi skill Labour / 8 hours	Per Day	2,100.00
104	Unskill Labour / 8 hours	Per Day	1,900.00
	<b><u>CAST IRON SLUICE GATES &amp; COMPONENTS</u></b>		
105	3" (75 mm.) dia. Cast iron sluice gate complete with fitting	Nr.	22200.00
106	4" (75 mm.) dia. Cast iron sluice gate complete with fitting	Nr.	22200.00
107	6" (75 mm.) dia. Cast iron sluice gate complete with fitting	Nr.	25800.00
108	9" (75 mm.) dia. Cast iron sluice gate complete with fitting	Nr.	38400.00
109	12" (75 mm.) dia. Cast iron sluice gate complete with fittin	Nr.	42000.00
110	15" (75 mm.) dia. Cast iron sluice gate complete with fittin	Nr.	60000.00
111	18" (75 mm.) dia. Cast iron sluice gate complete with fittin	Nr.	84300.00
112	24" (75 mm.) dia. Cast iron sluice gate complete with fittin	Nr.	110400.00
113	30" (75 mm.) dia. Cast iron sluice gate complete with fittin	Nr.	231000.00
114	36" (75 mm.) dia. Cast iron sluice gate complete with fittin	Nr.	330000.00
115	40" (75 mm.) dia. Cast iron sluice gate complete with fittin	Nr.	420000.00
	<b><u>CAST IRON SLUICE GATE SPARES</u></b>		
116	C.I. Housing & Base Plate - 3/4"	Nr.	4200.00
117	C.I. Housing & Base Plate - 1"	Nr.	4200.00
118	C.I. Housing & Base Plate - 1 1/4"	Nr.	4200.00
119	C.I. Housing & Base Plate - 1 1/2"	Nr.	5100.00
120	C.I. Housing & Base Plate - 2"	Nr.	6000.00
121	C.I. Housing & Base Plate - 2 1/2"	Nr.	9600.00
	<b><u>Pin Type L Device</u></b>		
122	Pin Type L Device (without padlock) - 3/4"	Nr.	870.00
123	Pin Type L Device (without padlock) - 1"	Nr.	870.00
124	Pin Type L Device (without padlock) - 1 1/4"	Nr.	870.00
125	Pin Type L Device (without padlock) - 1 1/2"	Nr.	960.00
126	Pin Type L Device (without padlock) - 2"	Nr.	1050.00
127	Pin Type L Device (without padlock) - 2 1/2"	Nr.	1230.00
	<b><u>Plate Type L Device</u></b>		
128	Plate Type L Device (without padlock) - 3/4"	Nr.	1050.00
129	Plate Type L Device (without padlock) - 1"	Nr.	1860.00
130	Plate Type L Device (without padlock) - 1 1/4"	Nr.	1860.00
131	Plate Type L Device (without padlock) - 1 1/2"	Nr.	2090.00
132	Plate Type L Device (without padlock) - 2"	Nr.	3300.00
133	Plate Type L Device (without padlock) - 2 1/2"	Nr.	4200.00
	<b><u>Brass Nut</u></b>		
134	Brass Nut 04 T.P.I- 3/4"	Nr.	6000.00
135	Brass Nut 04 T.P.I - 1"	Nr.	6000.00
136	Brass Nut 04 T.P.I- 1 1/4"	Nr.	6900.00
137	Brass Nut 04 T.P.I - 1 1/2"	Nr.	8700.00

138	Brass Nut 04 T.P.I - 2"	Nr.	12300.00
139	Brass Nut 04 T.P.I - 2 1/2"	Nr.	18600.00
140	Brass Nut 02 T.P.I - 2"	Nr.	12300.00
141	Brass Nut 02 T.P.I - 2 1/2"	Nr.	18600.00
	<b><u>Steel Spindle</u></b>		
142	Steel Spindle - 3/4"	L.ft	1050.00
143	Steel Spindle - 1"	L.ft	1050.00
144	Steel Spindle - 1 1/4"	L.ft	1320.00
145	Steel Spindle - 1 1/2"	L.ft	1554.00
146	Steel Spindle - 2"	L.ft	2040.00
147	Steel Spindle - 2 1/2"	L.ft	3300.00
	<b><u>Spindle Bush</u></b>		
148	Spindle Bush Welding - 3/4"	Nr.	330.00
149	Spindle Bush Welding - 1"	Nr.	330.00
150	Spindle Bush Welding - 1 1/4"	Nr.	330.00
151	Spindle Bush Welding- 1 1/2"	Nr.	420.00
152	Spindle Bush Welding - 2"	Nr.	510.00
153	Spindle Bush Welding - 2 1/2"	Nr.	780.00
	<b><u>Threading</u></b>		
154	Threading 04 T.P.I.- 3/4"	L.ft	420.00
155	Threading 04 T.P.I. - 1"	L.ft	420.00
156	Threading 04 T.P.I.- 1 1/4"	L.ft	510.00
157	Threading 04 T.P.I.- 1 1/2"	L.ft	600.00
158	Threading - 04 T.P.I. - 2"	L.ft	1230.00
159	Threading - 04 T.P.I.- 2 1/2"	L.ft	1500.00
160	Threading - 02 T.P.I. - 2"	L.ft	1230.00
161	Threading - 02 T.P.I.- 2 1/2"	L.ft	1500.00
	<b><u>Operating wheel</u></b>		
162	Steel Operating wheel 16" $\phi$ for- 3/4"	Nr.	3840.00
163	Steel Operating wheel 16" $\phi$ for- 1"	Nr.	3840.00
164	Steel Operating wheel 18" $\phi$ for- 1 1/4"	Nr.	3840.00
165	Steel Operating wheel 18" $\phi$ for- 1 1/2"	Nr.	4200.00
166	Steel Operating wheel 20" $\phi$ for- 2"	Nr.	5550.00
167	Steel Operating wheel 24" $\phi$ for- 2 1/2"	Nr.	7800.00
	<b><u>STEEL RAG BOLT SIZES</u></b>		
168	Steel Rag Bolt 3/4" $\phi$ - 1/2" x 9"	Nr.	330.00
169	Steel Rag Bolt - 1" $\phi$ x - 1/2" x 6"	Nr.	276.00
170	Steel Rag Bolt - 1 1/4" $\phi$ - 5/8" x 9"	Nr.	510.00
171	Steel Rag Bolt - 1 1/2" $\phi$ - 5/8" x 6"	Nr.	420.00
172	Steel Rag Bolt - 2" $\phi$ - 3/4" x 9"	Nr.	690.00
173	Steel Rag Bolt - 2 1/2" $\phi$ - 3/4" x 6"	Nr.	600.00
	<b><u>STEEL RAG BOLT H. STOCK</u></b>		
174	Steel Rag Bolt H. Stock - 1/2" x 6"	Nr.	276.00

174.1	Steel Rag Bolt H. Stock - 1/2" x 9"	Nr.	330.00
175	Steel Rag Bolt H. Stock - 5/8" x 6"	Nr.	420.00
175.1	Steel Rag Bolt H. Stock - 5/8" x 9"	Nr.	510.00
176	Steel Rag Bolt H. Stock - 3/4" x 6"	Nr.	600.00
176.1	Steel Rag Bolt H. Stock - 3/4" x 9"	Nr.	690.00
	<b><u>STEEL BOLTS &amp; NUT SIZES</u></b>		
177	Steel Bolts & Nuts - 2" x 1/2"	Nr.	60.00
178	Steel Bolts & Nuts - 2 1/2" x 1/2"	Nr.	70.00
179	Steel Bolts & Nuts - 3" x 1/2"	Nr.	75.00
	<b><u>STEEL WASHERS SIZES</u></b>		
180	Steel Washers - 1/2"	Nr.	20.00
181	Steel Washers - 5/8"	Nr.	30.00
182	Steel Washers - 3/4"	Nr.	32.00
	<b><u>OPERATING HANDLE</u></b>		
183	Steel Operating handle for- 3/4"	Nr.	870.00
184	Steel Operating handle for- 1"	Nr.	870.00
185	Steel Operating handle for- 1 1/4"	Nr.	870.00
186	Steel Operating handle for- 1 1/2"	Nr.	960.00
187	Steel Operating handle for- 2"	Nr.	2130.00
188	Steel Operating handle for- 2 1/2"	Nr.	3300.00
	<b><u>BLASTING MATERIALS</u></b>		
189	Steel jumper	Kg.	226.35
190	Fuse wire	L.m.	38.80
191	Blasting powder	Kg.	593.50
192	Dyna cord	L.m.	51.00
193	Gelignite	Kg.	675.00
194	Ordinary Detonator	Nr.	11.70
195	Electric Detonator	Nr.	93.30
196	Ammonium Nitrate	Kg.	162.20

**RATES FOR IRRIGATION AND DRAINAGE WORKS -2020/2021****PROVINCIAL IRRIGATION DEPARTMENT - WESTERN PROVINCE**

ITEM NO.	DESCRIPTION	UNIT	RATE 2020/2021
<b>01</b>	<b>CLEARING AND GRUBBING</b>		
	<i>Note : 1.Light jungle means all growth of vegetation consisting of undergrowth but not excluding "secondary growth jungle" and trees of varying girth and density. Shall be girth of 5% of trees will vary up to 2m. (Girth is measuring at a height of 1m. From the ground level)</i> 1.2 <b>Medium jungle</b> means as above and Shall be girth of 5% of trees will vary up to 3m. 1.3 <b>Secondary growth jungle</b> means All growth of dense vegetation consisting shrubs, thorny bushes, undergrowth. <b>(Note shall be mentioned under the relevant item.)</b>		
1.1	<b>Light jungle clearing</b> along channel trace Including removing outside reservation and burning .	Ac.	<b>79,002.00</b>
1.2	<b>Medium jungle clearing</b> along channel trace Including removing outside reservation and burning .	Ac.	<b>118,503.00</b>
1.3	<b>Secondary growth jungle</b> clearing along channel trace, including removing out side reservation and burning .	Ac.	<b>39,501.00</b>
<b>02</b>	<b>EARTH WORK</b>		
2.1	<b>Manual earth Excavation and spoil to waste or fill material</b> , cutting and lift 0'-5', spreading 100' along the bund.	Cu.	<b>4,151.00</b>
2.2	<b>Manual earth excavation in canals</b> and forming canal bunds cutting and lift 0'- 5', spreading 100'.	Cu.	<b>4,669.00</b>
2.3	<b>Manual Earth excavation in canals and forming bunds</b> , cut and lift 0'-5', spread up to 100' / Cu	Cu.	<b>5,188.00</b>
2.4	<b>Manual earth excavation from borrow and forming bunds</b> , cutting and lift 0' - 5', spreading 100' .	Cu.	<b>6,226.00</b>
2.5	<b>Manual earth excavation for foundation, spoil to waste or back filling and ram and surplus disposed</b> within the site as directed, cutting up to 5' and lift 0' - 5', spreading 100' .	Cu.	<b>5,707.00</b>
2.6	<b>Manual earth excavation, additional</b> to cut and lift over 5' up to 10', spreading 100' along the bund.	Cu.	<b>3,599.00</b>
2.7	<b>Manual earth excavation, additional</b> to cut and lift over 10' up to 15', spreading 100' along the bund.	Cu.	<b>3,903.00</b>
2.8	<b>Manual gravel excavation and spoil to waste or fill material</b> , cutting and lift 0' - 5', spreading 100'.	Cu.	<b>6,871.00</b>
2.9	<b>Manual soft rock excavation and spoil to waste or fill material</b> , cutting and lift 0' - 5', spreading 100'.	Cu.	<b>10,610.00</b>
	<i>Note :- Approved earth shall filling materials that earth shall be free of vegetation, decomposed materials, roots, query earth with various sizes rubbles,boulders,industrial waste, chemicals, plastic etc. (Note shall be mentioned under the relevant item.)</i>		
2.10	<b>Approved hard Earth spreading , levelling watering and manual compaction, using slandered cast iron stamper</b> or equivalent and filling in 6" thick layers (loose volume) in <b>earth available at site.</b>	Cu.	<b>3,523.00</b>
2.11	<b>Approved earth supplying</b> within 10 Km from the source and piled at site (measured at piled volume)	Cu.	<b>4,967.00</b>
2.12	<b>Spreading &amp; Levelling using machine and Compaction of earth using Vibrating roller</b> (1/2-1 ton) or equivalent including watering in 9" thick layers (measured on piled volume) . Rate include hire charges of machine & Vibrating roller. (earth available at site).	Cu.	<b>1,050.00</b>

2.13	<b>Manually spreading and levelling</b> piled approved earth available at site rate <b>without compaction.</b>	Cu.	<b>460.00</b>
	<b>Note</b> :-Additional for haul shall be maximum 300'		
2.14	<b>Manual haul earth/Gravel/soft rock</b> , haul 100'in each step to max.of 300'	Cu.	<b>1,279.00</b>
2.14.1	<b>Manual haul earth/Gravel/soft rock</b> , haul 200'in each step to max.of 300'	Cu.	<b>2,558.00</b>
2.14.2	<b>Manual haul earth/Gravel/soft rock</b> , haul 300'in each step to max.of 300'	Cu.	<b>3,837.00</b>
2.15.1	<b>Manual Stripping top soil</b> up to 3" depth, haul up to 100'.	Sqr.	<b>1,558.00</b>
2.15.2	<b>Stripping top soil by machinery</b> up to 3" depth, and spoil to waste.	Sqr.	<b>102.75</b>
2.16	<b>Manual Scraping top vegetation</b> , haul up to 100'.	Sqr.	<b>233.00</b>
2.17	<b>Manual Forming puddle core wall</b> , including compacting (Molding) of puddle and solid mass including cutting clay. excluding transport.	Cu.	<b>13954.00</b>
2.18	<b>Manual Placing and compacting earth in canal/ backfill</b> including watering , including picking roots & spreading.	Cu.	<b>1,386.00</b>
2.19	<b>Furnishing , Planting and Watering turf (Full turfing)</b> , excluding haul.	Sqr.	<b>2,432.00</b>
2.20	<b>Furnishing , Planting and Watering turf (Strip turfing)</b> , excluding haul.	Sqr.	<b>1,216.00</b>
2.21	<b>Placing and Packing 6" - 9" / 9" - 12"</b> rubble in slope of embankment , excluding haul but including rubble within 20 Km. by T-T/ Lorry.	Cu.	<b>9,374.00</b>
2.22	<b>Placing and packing 9"-12" /12"-18"</b> rubble in slope of embankment, excluding haul but including rubble within 20 Km. by T-T/ Lorry.	Cu.	<b>9122.00</b>
2.23	<b>9" Thick rubble pitching in 1:5 cement &amp; sand mr. with 6"-9" rubble</b> and lift 5'-0", haul 100'. (This rate shall be applicable for transport of cement, sand & rubble within 20 Km. by T-T/ Lorry)	Sqr.	<b>26,950.00</b>
<b>3A</b>	<b>CANAL CLEARING AND DESILTING</b>		
3A.1	<b>Desilting in canals, spoil to waste</b> or fill material cut up to 6" depth, Spreading/ haul up to 100'. <b>(Manual)</b>	Sqr.	<b>1,315.00</b>
3A.2	<b>Removal of water-hyacinths and deposit</b> as directed. <b>(Manual)</b>	Sqr.	<b>470.00</b>
3A.3	<b>Uprooting shrub jungle in canals</b> and / or <b>canal reservations</b> including removing out side reservation and burning , height 2' - 3' <b>(Manual)</b>	Sqr.	<b>681.00</b>
3A.4	<b>Uprooting shrub jungle in canals</b> and / or <b>canal reservations</b> including removing out side reservation and burning , height over 3' <b>(Manual)</b>	Sqr.	<b>1,174.00</b>
<b>3B</b>	<b>EARTH EXCAVATION IN CANAL BY MACHINERY.</b>		
	<b>Note</b> :-When using item <b>3B.1,3B.2,3B.3,3B.4,3B.5,3B.6</b> , the above item <b>3A.1,3A.2,3A.3 &amp; 3A.4</b> should not included in BOQ.		
3B.1	<b>Earth excavation in canals/channels using machinery</b> according to the given levels and side slopes and spreading excavated soil on bunds as directed. Unserviceable excavated earth should not be deposited on bunds. Fill material cut up to 5 ft. lift up to 5 ft. Spreading 100 ft.	Cu.	<b>369.00</b>
3B.2	<b>Earth excavation in canals/channels using machinery</b> according to the given levels and side slopes and spreading excavated soil on bunds as directed. Unserviceable excavated earth should not be deposited on bunds. Fill material cut 5' - 10'. lift up to 10ft.spreading 100 ft. Machine transport will be paid separately	Cu.	<b>378.00</b>

3B.3	<b>Earth excavation in canals/channels using machinery</b> according to the given levels and side slopes and spreading excavated soil on bunds as directed. Unserviceable excavated earth should not be deposited on bunds. Fill material cut 10' - 15'. lift up to 15ft.spreading 100 ft.	Cu.	<b>386.00</b>
3B.4	<b>Earth excavation in canals/channels using machinery</b> according to the given levels and side slopes and spreading excavated soil on bunds as directed. Unserviceable excavated earth should not be deposited on bunds. Fill material cut 15' - 20'. lift up to 15ft.spreading 100 ft.	Cu.	<b>395.00</b>
3B.5	<b>Earth excavation in canals/channels</b> and side slopes <b>using machinery</b> and spreading excavated soil on bunds as directed. Unserviceable excavated earth should not be deposited on bunds. Cutting depth 1'-0" and spreading 100'.Machine transport will be paid separately	Sqr.	<b>369.00</b>
3B.6	<b>Earth excavation</b> in canals or channels and side slopes <b>Using backhoe with barge</b> and spreading excavated soil on bunds as directed. Unserviceable excavated earth should not be deposited on bunds. Cutting depth 1'-0" and spreading 100'.Machine transport will be paid separately	Sqr.	<b>553.00</b>
<b>04</b>	<b>REINFORCEMENT</b>		
4.1	<b>Tor steel reinforcement</b> cutting , bending to shape laid in position and tied with 16 B.W.G. binding wire	Kg.	<b>277.00</b>
4.2	<b>Mild steel reinforcement</b> cutting , bending to shape laid in position and tied with 16 B.W.G. binding wire	Kg	<b>277.00</b>
4.3	Supplying and fixing <b>16 mm dia, 0.75m. M/S dowel</b> bending half round shape at one end and fixing the other end to the rock, including 0.3 m. boring holes with washing & cleaning immediately prior to fill grout and filling cement grout. (The bore hole size shall be between 1.25 to 1.5 times the diameter of the dowel bar.)	Lft.	<b>793.00</b>
<b>05</b>	<b>FORM WORK</b>		
5.1	Furnishing, making, fixing and removing <b>formwork for sides of foundation using 3/4" thick rubber planks</b> , excluding transport (for 2 users)	Sqr.	<b>4,748.00</b>
5.2	Furnishing and making <b>formwork using 3/4" thick timber shuttering planks</b> for each of two uses including fixing and removing same once, excluding transport	Sqr.	<b>7,328.00</b>
5.3	Furnishing and making <b>formwork using 3/4" thick timber shuttering planks</b> for one use including fixing and removing , excluding transport	Sqr.	<b>11,728.00</b>
5.4	Furnishing and making <b>formwork using 15 mm thick plywood</b> for each of 2 uses including fixing and removing, excluding transport	Sqr.	<b>14,648.00</b>
5.5	<b>Timbering in foundation using 1 1/2" thick</b> timber planks, including necessary struts and props, Excluding transport (Close type)for 2 uses	Sqr.	<b>14,037.00</b>
<b>06</b>	<b>CONCRETE</b>		
6.1	<b>1:3:6 (1 1/2") Concrete (Grade M 10)</b> excluding formwork, excluding lift over 5' and excluding haul ( <b>either hand mixing or using mixture</b> ),including placing, compacting and curing. (The rate shall be applicable for transport of cement, sand & metal by T-T/Lorry)	Cu.	<b>46,192.00</b>
6.2	<b>1:3:6 (1") Concrete (Grade M 10)</b> excluding formwork, excluding lift over 5' and excluding haul ( <b>either hand mixing or using mixture</b> ),placing, compacting and curing. (The rate shall be applicable for transport of cement, sand & metal by T-T/Lorry)	Cu.	<b>47,673.00</b>

6.3	<b>1:2:4 (3/4") Concrete (Grade M 15)</b> excluding formwork, excluding lift over 5' and excluding haul ( <b>either hand mixing or using mixture</b> ), placing, compacting and curing. (The rate shall be applicable for transport of cement, sand & metal by T-T/Lorry)	Cu.	<b>54,475.00</b>
6.4	<b>1:1.5:3 (3/4") Concrete (Grade M 20)</b> excluding formwork, excluding lift over 5' and excluding haul ( <b>hand mixing or using mixture</b> ), (The rate shall be applicable for transport of cement, sand & metal by T-T/Lorry)	Cu.	<b>56,428.00</b>
6.5	<b>Additional lift</b> of concrete over 5' up to 10'	Cu.	<b>3,108.00</b>
	<b>Note</b> :-Additional for haul shall be maximum 300'		
6.6.1	<b>Additional for haul</b> of materiel for concrete in each step of 100'.	Cu.	<b>3,015.00</b>
6.6.2	<b>Additional for haul</b> of materiel for concrete in each step of 200'.	Cu.	<b>6,030.00</b>
6.6.3	<b>Additional for haul</b> of materiel for concrete in each step of 300'.	Cu.	<b>9,045.00</b>
<b>07</b>	<b>RANDOM RUBBLE WORK</b>		
7.1	<b>6"-9" Random rubble masonry</b> in 1:5 ct. mt. ,(This rate shall be applicable for transport of cement, sand,& rubble T-T/Lorry)	Cu.	<b>44,553.00</b>
	<b>Note</b> :-Additional for haul shall be maximum 300'		
7.2.1	<b>Additional for haul</b> of materiel for rubble masonry in each step of 100'.	Cu.	<b>3,365.00</b>
7.2.2	<b>Additional for haul</b> of materiel for rubble masonry in each step of 200'.	Cu.	<b>6,730.00</b>
7.2.3	<b>Additional for haul</b> of materiel for rubble masonry in each step of 300'.	Cu.	<b>10,095.00</b>
7.3	<b>6"-9" Random Rubble masonry</b> in 1:5 ct.mr. lift 0' - 5' , rubble <b>available at site</b> .	Cu.	<b>35,037.00</b>
7.4	<b>6"-9" Random rubble pitch paving</b> along bund ,(This rate shall be applicable for transport of rubble T-T/Lorry)	Sqr.	<b>8,612.00</b>
7.5	<b>6"-9" Random rubble pitch paving</b> along bund , rubble available at site .	Sqr.	<b>3,572.00</b>
<b>08</b>	<b>PLASTERING</b>		
8.1	<b>1/2" thick semi rough cement plastering</b> 1:3 cement, sand mixture, (transport of cement and sand T-T/Lorry) .	Sqr.	<b>7,670.00</b>
8.2	<b>3/4" thick semi rough cement plastering</b> 1:3 cement, sand mixture, (transport of cement and sand T-T/Lorry) .	Sqr.	<b>9,636.00</b>
<b>9A</b>	<b>RCC HUME PIPES IN STRUCTURES (without Collars)</b>		
	<b>Note</b> :-According to the site condition collar rate should be added separately		
9A.1	Furnish, lay and joint <b>6" RCC Hume pipes</b> , including trenching & backfill, excluding transport .	Lft.	<b>933.00</b>
9A.2	Furnish, lay and joint <b>9" RCC Hume pipes</b> , including trenching & backfill, excluding transport .	Lft.	<b>1,211.00</b>
9A.3	Furnish, lay and joint <b>12" RCC Hume pipes</b> , including trenching & backfill, excluding transport .	Lft.	<b>1,555.00</b>
9A.4	Furnish, lay and joint <b>15" RCC Hume pipes</b> , including trenching & backfill, excluding transport .	Lft.	<b>1,664.00</b>
9A.5	Furnish, lay and joint <b>18" RCC Hume pipes</b> , including trenching & backfill, excluding transport .	Lft.	<b>1,962.00</b>
9A.6	Furnish, lay and joint <b>24" RCC Hume pipes</b> , including trenching & backfill, excluding transport .	Lft.	<b>2,785.00</b>
9A.7	Furnish, lay and joint <b>30" RCC Hume pipes</b> , including trenching & backfill, excluding transport .	Lft.	<b>3,811.00</b>
9A.8	Furnish, lay and joint <b>36" RCC Hume pipes</b> , including trenching & backfill, excluding transport .	Lft.	<b>4,716.00</b>
9A.9	Furnish, lay and joint <b>42" RCC Hume pipes</b> , including trenching & backfill, excluding transport .	Lft.	<b>6,075.00</b>
9A.10	Furnish, lay and joint <b>48" RCC Hume pipes</b> , including trenching & backfill, excluding transport .	Lft.	<b>7,535.00</b>

<b>9B</b>	<b>Supplying R.C.C. Hume Pipe Collars</b>		
	<i>Note :-Putting concrete pad under collar rate shall be added separately.</i>		
9B.1	Supplying & fixing <b>6" dia R.C.C.</b> Hume pipe collars excluding transport .Including with filling 1:3 cement sand mortar between pipe and collar.	Nr.	<b>880.00</b>
9B.2	Supplying & fixing <b>9" dia R.C.C.</b> Hume pipe collars excluding transport .Including with filling 1:3 cement sand mortar between pipe and collar.	Nr.	<b>931.00</b>
9B.3	Supplying & fixing <b>12" dia R.C.C.</b> Hume pipe collars excluding transport .Including with filling 1:3 cement sand mortar between pipe and collar.	Nr.	<b>1,039.00</b>
9B.4	Supplying & fixing <b>15" dia R.C.C.</b> Hume pipe collars excluding transport .Including with filling 1:3 cement sand mortar between pipe and collar.	Nr.	<b>1,091.00</b>
9B.5	Supplying & fixing <b>18" dia R.C.C.</b> Hume pipe collars excluding transport .Including with filling 1:3 cement sand mortar between pipe and collar.	Nr.	<b>1,199.00</b>
9B.6	Supplying & fixing <b>24" dia R.C.C.</b> Hume pipe collars excluding transport .Including with filling 1:3 cement sand mortar between pipe and collar.	Nr.	<b>1,307.00</b>
9B.7	Supplying & fixing <b>30" dia R.C.C.</b> Hume pipe collars excluding transport .Including with filling 1:3 cement sand mortar between pipe and collar.	Nr.	<b>1,631.00</b>
9B.8	Supplying & fixing <b>36" dia R.C.C.</b> Hume pipe collars excluding transport .Including with filling 1:3 cement sand mortar between pipe and collar.	Nr.	<b>1,790.00</b>
9B.9	Supplying & fixing <b>42" dia R.C.C.</b> Hume pipe collars excluding transport .Including with filling 1:3 cement sand mortar between pipe and collar.	Nr.	<b>2,218.00</b>
9B.10	Supplying & fixing <b>48" dia R.C.C.</b> Hume pipe collars excluding transport .Including with filling 1:3 cement sand mortar between pipe and collar.	Nr.	<b>3,180.00</b>
<b>10</b>	<b>STOP PLANKS</b>		
10.1	Supplying & fixing <b>6" x 3" stop planks</b> in specified class timber ( <b>Kumbuk</b> ) including applying two coats of hot tar and fixing 2 Nrs. of M/S hooks made by 3/8" dia. M/S bars with applying two coats of anticorrosive paint for the surfaces of hooks, excluding transport.	Cu.ft.	<b>12,405.00</b>
10.2	Supplying & fixing <b>6" x 3" stop planks</b> in specified class timber ( <b>Naa, or Mee</b> ) including applying two coats of hot tar and fixing 2 Nrs. of M/S hooks made by 3/8" dia. M/S bars with applying two coats of anticorrosive paint for the surfaces of hooks, excluding transport.	Cu.ft.	<b>10,947.00</b>
10.3	Applying two coats of hot tar and fixing 2nos.of M/S hooks made by 3/8"M.S. bars with painting two coats of anticorrosive paint removing rust for the <b>timber planks (6"x3") provided by the department</b> excluding transport.	Cu.ft.	<b>2,667.00</b>
<b>11</b>	<b>MISCELLANEOUS</b>		
11.1	Furnishing <b>2" brass padlock</b> and handing over.	Nr.	<b>864.00</b>
11.2	Furnishing, bending and fixing <b>50 x 5 mm. flat iron and 10 mm. dia. M/S hooks</b> or using flat iron hooks as a locking arrangement for anicut planks including removing rust and <b>applying two coats of anticorrosive.</b>	Lft.	<b>336.00</b>
11.3	Furnishing <b>1" dia. 3' long steel chain</b> as a locking arrangement for the operating wheel .	Nr.	<b>1,170.00</b>
11.4	Pumping water using <b>2" dia. Water pump, (Wet basin with operator.)</b> .	Per day	<b>3,360.00</b>

11.5	Coffer damming using large size <b>polysack bags</b> including placing and removing .	Nr.	<b>337.00</b>
11.6	Providing weep holes using <b>4" dia. PVC pipes</b> (Type 250) (the distance shall not less than 8'-0" in a row and use as Zig-Zag method.)	Lft.	<b>363.00</b>
11.7	<b>Hire charges</b> for T-T (Wet Lease basin including operator) .	per day	<b>7,200.00</b>
11.8	Making temporary shed (size 10' x10') during construction/ repairing period & removing.	Nr.	<b>6,120.00</b>
<b>12</b>	<b>Transport cost for haul earth / sand / gravel by T-T including loading</b>		
12.1	Up to 1 Km.	Per Cu.	<b>828.00</b>
12.2	Up to 2 Km.	Per Cu.	<b>954.00</b>
12.3	Up to 3 Km.	Per Cu.	<b>1,080.00</b>
12.4	Up to 4 Km.	Per Cu.	<b>1,206.00</b>
12.5	Up to 5 Km.	Per Cu.	<b>1,332.00</b>
12.6	Up to 6 Km.	Per Cu.	<b>1,458.00</b>
12.7	Up to 8 Km.	Per Cu.	<b>1,710.00</b>
12.8	Up to 10 Km.	Per Cu.	<b>1,962.00</b>
12.9	Up to 15.00 Km.	Per Cu.	<b>2,592.00</b>
<b>13</b>	<b>Making &amp; Fixing NAME BOARDS</b>		
13.1	Providing a <b>Digital printing Name Board size (4'-0" x 3'-0")</b> for the project, the board shall 3/4"x3/4" box iron 1.2 mm thick frame and 1/2"x1/2" aluminium L - bar around the frame fixed with pop rivets with digital print sticker. Supplying 1 1/4" dia.G.I. pipe 3.2 mm.thick 3m. in length and fixing one end to the board with 03 nrs. of 1/4" dia. 2 1/2" long nut & bolts and other end concreting circular at the bottom to the ground as per detail plan including painting steel frame work and G.I. pipe with two coats of anticorrosive paint. ( inclusive transport.)	Nr.	<b>7,056.00</b>
<b>14</b>	<b>Making, Supplying &amp; Fixing Steel gate</b>		
14.1	Making <b>lifting steel gate using 75 x 75 x 6 mm angle iron</b> & 5 mm. thick MS plate with 10 mm.thick MS bracket as given detail plan No 1. of the steel gate and fixing to the anicut as directed.((This rate for <b>only four nr.75 x 75 x 6 mm.angle iron for both ways</b> as detail plan No 1 and not inclusive other necessary items.)including removing rust and <b>applying two coats of anticorrosive paint</b> . Excluding transport.	Sqft.	<b>2,914.00</b>
14.2	Making <b>lifting steel gate using 65 x 65 x 6 mm angle iron</b> & 5 mm. thick MS plate with 10 mm.thick MS bracket as given detail plan No 2. of the steel gate and fixing to the anicut as directed. (This rate for <b>only four nr.65 x 65 x 6 mm. angle iron for both ways</b> as detail plan No 2 and not inclusive other necessary items.) including removing rust and <b>applying two coats of anticorrosive paint</b> and greasing to threading part of rod & bush .Excluding transport.	Sqft.	<b>2,766.00</b>
<b>15</b>	<b>Demolishing &amp; Clearing</b>		
15.1	<b>Demolishing reinforced cement concrete</b> removing reinforcement and Clearing or stacking.	Cu.	<b>18,719.00</b>
15.2	<b>Demolishing cement concrete</b> and Clearing or stacking.	Cu.	<b>14,022.00</b>
15.3	<b>Demolishing rubble masonry</b> in cement and sand, stacking rubble and Clearing debris away.	Cu.	<b>5,837.00</b>
15.4	<b>Chipping cement plaster</b> and Clearing debris away.	Sqr.	<b>1,744.00</b>
<b>16</b>	<b>SURVEYING</b>		
16.1	<b>Medium jungle clearing</b> for surveying work, 4 ft .wide.	Mile	<b>17,222.00</b>

16.2	<b>Light jungle clearing</b> for surveying work, 4 ft .wide.	Mile	<b>12,055.00</b>
16.3	<b>Chaining</b> inclusive of cutting jungle pegs and pegging.	Mile	<b>3229.00</b>
16.4	<b>Levelling</b> every 100ft. Establishing bench marks on rock or tree and checking back.	Mile	<b>6458.00</b>
16.5	<b>Surveying</b> including fixing angle pickets and taking angles .	Mile	<b>6458.00</b>
16.6	<b>Chaining traverse</b> line and taking off sets .	Mile	<b>8611.00</b>
16.7	<b>Detail site surveys</b> - breaches, spill site etc., including spot levels, chaining, pegging and establishing bench mark ( <b>400' x 400'</b> )	Nr.	<b>21,527.00</b>
16.8	<b>Detail site surveys</b> - breaches, spill site etc., including spot levels, chaining, pegging and establishing bench mark ( <b>200' x 200'</b> )	Nr.	<b>5,382.00</b>
16.9	<b>Detail site surveys</b> - breaches, spill site etc., including spot levels, chaining, pegging and establishing bench mark ( <b>100' x 100'</b> )	Nr.	<b>1,345.00</b>

----- -- END -----